


Endoscopic Sinus Surgery

Anatomy, Three-Dimensional Reconstruction,
and Surgical Technique

Peter-John Wormald

Fourth Edition

plus videos



 MediaCenter.thieme.com
plus e-content online

 Thieme

Endoscopic Sinus Surgery

Anatomy, Three-Dimensional Reconstruction,
and Surgical Technique

Fourth Edition



Endoscopic Sinus Surgery

Anatomy, Three-Dimensional Reconstruction, and Surgical Technique

Fourth Edition

Peter-John Wormald, MD, FRACS, FCS(SA), FRCS(Ed), MBChB
Chairman and Professor of Otolaryngology–Head and Neck Surgery
Professor of Skull Base Surgery
University of Adelaide
Adelaide, South Australia
Australia

Thieme
New York • Stuttgart • Delhi • Rio de Janeiro

Executive Editor: Timothy Hiscock
Managing Editor: J. Owen Zurhellen IV
Editorial Assistant: Mary B. Wilson
Director, Editorial Services: Mary Jo Casey
Production Editor: Heidi Grauel
Editorial Director: Sue Hodgson
International Production Director: Andreas Schabert
International Marketing Director: Fiona Henderson
International Sales Director: Louisa Turrell
Institutional Sales Director: Adam Bernacki
Senior Vice President and Chief Operating Officer: Sarah Vanderbilt
President: Brian D. Scanlan
Printer: Everbest Printing Co.

Library of Congress Cataloging-in-Publication Data

Names: Wormald, P. J., author.
Title: Endoscopic sinus surgery : anatomy, three-dimensional reconstruction, and surgical technique / Peter-John Wormald.
Description: Fourth edition. | New York : Thieme, [2018] | Includes bibliographical references and index.
Identifiers: LCCN 2017025854 | ISBN 9781626234697 | ISBN 9781626234703 (ebook)
Subjects: | MESH: Paranasal Sinuses—surgery | Paranasal Sinuses—anatomy & histology | Paranasal Sinus Diseases—surgery | Natural Orifice Endoscopic Surgery—methods | Video-Assisted Surgery
Classification: LCC RF421 | NLM WV 340 | DDC 617.5/23—dc23
LC record available at <https://lccn.loc.gov/2017025854>

Important note: Medicine is an ever-changing science undergoing continual development. Research and clinical experience are continually expanding our knowledge, in particular our knowledge of proper treatment and drug therapy. Insofar as this book mentions any dosage or application, readers may rest assured that the authors, editors, and publishers have made every effort to ensure that such references are in accordance with **the state of knowledge at the time of production of the book.**

Nevertheless, this does not involve, imply, or express any guarantee or responsibility on the part of the publishers in respect to any dosage instructions and forms of applications stated in the book. **Every user is requested to examine carefully** the manufacturers' leaflets accompanying each drug and to check, if necessary in consultation with a physician or specialist, whether the dosage schedules mentioned therein or the contraindications stated by the manufacturers differ from the statements made in the present book. Such examination is particularly important with drugs that are either rarely used or have been newly released on the market. Every dosage schedule or every form of application used is entirely at the user's own risk and responsibility. The authors and publishers request every user to report to the publishers any discrepancies or inaccuracies noticed. If errors in this work are found after publication, errata will be posted at www.thieme.com on the product description page.

Some of the product names, patents, and registered designs referred to in this book are in fact registered trademarks or proprietary names even though specific reference to this fact is not always made in the text. Therefore, the appearance of a name without designation as proprietary is not to be construed as a representation by the publisher that it is in the public domain.

Copyright © 2018 by Thieme Medical Publishers, Inc.

Thieme Publishers New York
333 Seventh Avenue, New York, NY 10001 USA
1-800-782-3488, customerservice@thieme.com

Thieme Publishers Stuttgart
Rüdigerstrasse 14, 70469 Stuttgart, Germany
+49 [0]711 8931 421, customerservice@thieme.de

Thieme Publishers Delhi
A-12, Second Floor, Sector-2, NOIDA-201301
Uttar Pradesh, India
+91 120 45 566 00, customerservice@thieme.in

Thieme Publishers Rio de Janeiro, Thieme Publicações Ltda.
Edifício Rodolpho de Paoli, 25º andar
Av. Nilo Peçanha, 50 – Sala 2508
Rio de Janeiro 20020-906 Brasil
+55 21 3172-2297 / +55 21 3172-1896

Printed in China by Everbest Printing Co. 5 4 3 2 1

ISBN 978-1-62623-469-7

Also available as an e-book:
eISBN 978-1-62623-470-3



This book, including all parts thereof, is legally protected by copyright. Any use, exploitation, or commercialization outside the narrow limits set by copyright legislation without the publisher's consent is illegal and liable to prosecution. This applies in particular to photostat reproduction, copying, mimeographing or duplication of any kind, translating, preparation of microfilms, and electronic data processing and storage.

Dedicated with love to Fiona, my wife, without whom this book would not have been possible, and to Nicholas and Sarah, my children who provide my inspiration.

Preface

This fourth edition of *Endoscopic Sinus Surgery* and its accompanying videos continue to refine and improve the concepts and illustrations of the third edition. With time, surgical techniques are refined and adjusted and these have been added to this edition. Each chapter has been thoroughly revised and although some have required minimal changes, others have undergone extensive revision and adjustment. A recent publication (Wormald PJ, et al. The International Frontal Sinus Anatomy Classification [IFAC] and Classification of the Extent of Endoscopic Frontal Sinus Surgery [EFSS]. *Int Forum Allergy Rhinol* 2016;6[7]:677–696) simplifying the terminology of the cells in the frontal recess (IFAC classification) has resulted in extensive revision of the frontal sinus chapters. This new classification of cells in the frontal recess is both simple and logical and we hope will be adopted as the new world standard for naming of these cells. In addition, there has long been a need for a new classification of the extent of surgery. There has been much confusion about previous classifications with different interpretations for the extent of surgery. The classification of the extent of frontal sinus surgery (EFSS) was also revised in the same publication and again is simple and logical and we hope will become accepted as the world standard for the grading for the extent of surgery. We acknowledge Rowan Valentine's contribution to this book with the high standard of dissection images he has provided. These images were obtained under the guidance of the late Albert L. Rhoton Jr. in the latter's laboratory in Gainesville, Florida. The images in this book reflect the high

standard of excellence associated with Rowan's work. In this new edition, we continue to develop and refine surgical techniques. We have added the mega-antrostomy and prelacri-mal approaches to the maxillary sinus and adjusted the use of anterior based pedicled flaps for the EFSS grade 6 (frontal drillout) procedure and refined many of the other surgical techniques presented.

This book differs from many others on anatomy and surgical techniques in that its scope is purely anatomical and operative. No attempt is made to cover the pathology or medical treatment of any of the conditions discussed—such information can be found in several excellent texts currently available. Many of the operative techniques presented in this book are novel but the results achieved with them have been carefully audited and published in peer-reviewed journals before they are presented here. It is hoped that the description of the relevant anatomy and surgical techniques in this text are sufficiently clear so that the reader will be able to apply them in his/her everyday practice. The concepts are presented with extensive use of illustrations, CT and MRI scans, and intraoperative and postoperative photographs. In addition, the accompanying videos illustrate the surgical techniques described in the text. This combination of text and videos should reinforce understanding of sinus anatomy and give the surgeon the confidence to tackle the many anatomical variations and technical challenges that may occur during endoscopic sinus and skull base surgery.

Acknowledgments

A book of this nature is an accumulation of all knowledge gleaned from many teachers over many years. However, I would like to single out the late Mike McDonogh as the teacher who had the greatest influence on my career as a rhinologist. Mike was an exceptional person who was highly innovative, and his humor, wit, and intelligence will be greatly missed. His ideas led to the development of the swing-door uncinectomy and the bath-plug closure of cerebrospinal

leaks. I will remain forever indebted to him for his teaching, mentoring, and friendship.

Andrew van Hasselt deserves a special mention for his support over many years. In addition, I would like to thank the Australian ENT Society members for making me welcome in Australia and for their ongoing support of the development of academic ENT.

1 Setup and Ergonomics of Endoscopic Sinus Surgery

◆ Introduction

There has been a significant shift from external and head-light sinus surgery to endoscopic sinus surgery (ESS). This dramatic change was initiated by the pioneering studies of Messerklinger in which he demonstrated that each sinus has a predetermined mucociliary clearance pattern draining toward its natural ostium irrespective of additional openings that may have been created into the sinuses.¹ This philosophy of opening the natural ostium of the diseased sinus was then popularized by Stammberger² and Kennedy.³ ESS is now accepted as the surgical management of choice for chronic sinusitis. In addition, as our knowledge of the anatomy of the sinuses has improved, other ancillary techniques such as endoscopic lacrimal surgery⁴ and orbital decompression⁵ have been developed. The development of specialized instruments has facilitated the endoscopic management of benign endonasal tumors^{6,7} and more recently the endoscopic management of malignant tumors⁸ of the nose, sinuses, and intracranial cavity. Endoscopic sinus surgery, ancillary nasal and sinus procedures, and, more recently, endoscopic trans-nasal intracranial surgery requires a broad range of specially designed endoscopic surgical instruments.

◆ Instruments

Disclaimer

A number of instruments that are presented in this book are manufactured and sold by Medtronic ENT and Integra. Those that are identified by an * have been designed by the author and a royalty is received from the sale of these instruments. There are no undeclared financial incentives associated with any of the instruments discussed that do not bear the identifying *.

A complete list of endoscopic sinus surgery instruments used by the author is presented in **Table 1.1**. If the instrument is produced by a number of companies, no manufacturer is named. If a particular instrument is produced by only one company, then the manufacturer is named. The following instruments are important for basic sinus surgery:

- ◆ Small rotating backbiting forceps
- ◆ Sickle knife
- ◆ Small (2.5-mm) straight and 45-degree upturned Blakesley forceps
- ◆ Small (2.5-mm) straight and 45-degree upturned through-biting (cutting) Blakesley forceps
- ◆ Endoscopic scissors
- ◆ Double right-angled ball probe
- ◆ Forceps 45- and 90-degree giraffe cup, 45- and 90-degree through-biting giraffe forceps
- ◆ Hajek Koeffler forward-biting punch
- ◆ Suction Freer's elevator
- ◆ Curettes (straight, 45-degree, and 90-degree curette)
- ◆ Malleable suction Freer's elevator* (Integra, Plainsboro, NJ)
- ◆ Malleable suction curette* (Integra)
- ◆ Malleable frontal sinus probe* (Integra)

Powered Microdebriders

Powered microdebriders now form an essential part of the instrumentation required to perform ESS and skull base surgery. These instruments allow the surgeon to remove blood from the operating field with the gate open and then with considerable precision the tissue can be cut by the rotating inner blade of the microdebrider. This precision cutting of mucosa minimizes the potential for stripping of the mucosa and helps to achieve maximum mucosal preservation which should improve postoperative healing and consequently the results of the surgery. These instruments are very effective at removing tissue and if placed in the wrong area, such as the orbit, can create significant damage to the orbital contents in a

Table 1.1 Full list of operating instruments and equipment

<p>Instruments</p> <p>Jacobson angled 7-inch needle holder 6-inch fine needle holder Small Luc forceps Angled Heyman turbinectomy scissors Tilley Henkel forceps Tilley packing forceps Mosquito curved artery clips Backhaus towel clips Sponge holder McIndoe forceps Adson toothed OR Adson Brown forceps Adson plain OR tungsten tip forceps Suture scissors Iris curved scissors No. 7 scalpel blade handle Freer's dissector Frazier 9 French gauge sucker and stilette Frazier 10 French gauge sucker and stilette Dental syringe Heath's mallet Small Killian's speculum Medium Killian's speculum Large Killian's speculum</p> <p>Sinoscopy instruments</p> <p>Medium straight Blakesley forceps Medium upturned Blakesley forceps Blakesley forceps straight through cut Blakesley forceps upturned through cut Right ostrum punch downcut Left ostrum punch downcut Sinus short sucker Sinus long sucker Sickle knife Freer's dissector Double-ended probe Kuhn Bolger frontal ostium seeker Kuhn Bolger frontal sinus curette 55 degrees Antrum curette 90-degree curette Sucker Freer's and stiletto Rotating microbite backbiter Hajek Koffler sphenoid punch upcut forward</p> <p>Special instruments</p> <p>Sinoscopy scissors – straight Sinoscopy scissors – curved left Sinoscopy scissors – curved right Kuhn Bolger giraffe forceps horizontal Kuhn Bolger giraffe forceps vertical Kuhn Bolger forceps 60 degrees Kuhn Bolger forceps 90 degrees Kuhn Bolger forceps 90 degrees right angled Kuhn Bolger forceps 90 degrees left angled Ligature clip carrier</p> <p>Wormald Sucker Bipolar* Integra</p> <p>Wormald's suction bipolar forceps – straight* Wormald's suction bipolar forceps – upturned* Sterilization case Bipolar cable</p> <p>Medtronic ENT frontal trephine set</p> <p>Medtronic frontal trephine set Drill guide</p>	<p>Drill pin Irrigation cannula (reusable; keep six in stock) Sterilizing tray</p> <p>Wormald's Malleable Frontal Sinus Instruments* Integra</p> <p>Wormald malleable frontal sinus probe Wormald malleable frontal sinus suction Wormald malleable elevator blunt Wormald malleable frontal sinus curette Sterilization tray</p> <p>Wormald Dacryocystorhinostomy Set* Integra</p> <p>Sickle knife Spear knife Lusk microbite forceps</p> <p>Wormald MicroFrance Anterior Skull Base and Pituitary Instrument Set* Integra</p> <p>5-mm fine scissors: left, right, and straight 5-mm fine scissors: up 8-mm fine scissors: left, right, and straight 8-mm fine scissors: up 1-mm forceps straight and 45 degrees Malleable probe straight Malleable probe right-angled hook Malleable suction dissector Malleable suction Malleable suction cage Malleable small and large 45-degree ring curettes Malleable small and large 90-degree ring curettes Bending tool</p> <p>MicroFrance Medtronic Hemorrhage Control Set* Integra</p> <p>Clamp straight rotatable Clamp curved small Clamp curved long Clamp 45-degree straight Clamp 45-degree curved small Clamp 45-degree curved long Clip-applying forceps rotatable straight Clip-applying forceps rotatable 45 degrees Needle holder rotatable</p> <p>Equipment</p> <p>Camera system</p> <p>STORZ HD digital camera SPIES 0-degree endoscope (4 × 11 mm Hopkins) 30-degree endoscope 45-degree endoscope 70-degree endoscope</p> <p>Lens washer</p> <p>Medtronic Endoscrub II</p> <p>Consumables</p> <p>0-degree Endoscrub II sheath 30-degree Endoscrub sheath</p> <p>Microdebrider</p> <p>Medtronic IPC (integrated power console) M5 handpiece Midas Rex Stylus handpiece Skull base burs</p> <p>Solutions</p> <p>Topical</p> <p>Cocaine solution (10% – 2 mL) Adrenaline (1:1000 × 1 mL) Normal saline (0.9 × 3 mL)</p>
---	--

*Instruments identified by an asterisk were designed by the author.

very short space of time.^{9,10} Due to its soft consistency, orbital fat can be sucked into the blade opening and cut by the rotating inner blade at a frightening rate. If the surgeon is unaware of having penetrated the orbital periosteum with microdebrider, significant damage can occur within a few seconds. There are numerous case reports in the literature in which powered microdebriders have caused inadvertent injury to the orbital contents and to the medial rectus muscle.^{9,10}

The blade is used in oscillate mode for the majority of the surgery. Most of the instruments have a default setting that will allow the blade to oscillate at 3000 or 5000 revolutions per minute. The foot pedal will also usually have a switch to allow the surgeon to select either variable or full speed when the pedal is depressed. Variable mode allows the surgeon to slow the speed whereas full speed will result in the blade turning at 3000 or 5000 rpm immediately as the pedal is depressed. It is important to understand that the speed at which the blade turns determines the amount of tissue that is cut. The higher the speed the less time the port is open and the less tissue is able to be sucked into the blade before the turning blade cuts the tissue. Conversely, the slower the speed the more tissue is sucked in and the more aggressively the blade cuts. **Fig. 1.1a** shows the blade in open mode and **Fig. 1.1b** shows tissue being sucked into the port of the blade before rotation of the blade cuts the tissue.

In forward and reverse mode the revolutions may vary from 3000 to 12,000 rpm and consequently the blade is open for only a very short period of time. Tissue cutting in this mode is thus severely limited. Forward mode is usually used for the various bur attachments that can be used in place of the blade. However, forward mode can also be used for very gently shaving bony septations on the lamina papyracea or skull base. This needs to be done with absolute knowledge of the anatomy and great care as inadvertent penetration of either structure can be disastrous. When this is done, the septations are brushed with the rotating blade without any use of pressure.

Endoscopic High-Speed Drills

Medtronic ENT (Minneapolis, MN) has a microdebrider base box that takes both a microdebrider handpiece with power range up to 30,000 rpm and all standard microdebrider blades and burs. The new burs designed to be run at 30,000 rpm come in a variety of angles as well as cutting or diamond options. This high-speed bur is very efficient at

removing large amounts of bone quickly and has resulted in much shorter operating times for procedures requiring bone removal. A caution must be added that the efficiency of these burs and the high speed at which they function may contribute added risk to the surgery as quick bone removal may result in breach of the skull base and intracranial penetration or orbital penetration. Experience and care is required when using the high-speed burs. In addition, this base box also takes an electronic endoscopic high-speed drill (Stylus) with curved irrigated diamond and cutting burs with power range up to 60,000 rpm. The surgeon can switch between the standard hand piece with drill (M5) and the high-speed electric drill by simply touching the button on the foot pedal. This high-speed electric drill, although irrigated, does not have in-built suction like a normal microdebrider drill and therefore is more suitable in a two-surgeon setup where the second surgeon can provide suction during drilling.

Endoscope Cleaners

A large number of companies manufacture endoscope cleaners or scrubbers. These are designed to wash the lens of the endoscope should it become obscured with blood. If the surgical field is bloody, the endoscope cleaner keeps the scope lens clear of blood and allows the operation to proceed without the need to remove the endoscope from the nose and manually clean it. The endoscope cleaner speeds up the operation and improves the safety of the surgery by maintaining visibility and decreasing the surgeon's frustration level by allowing the surgery to progress more rapidly.

Cameras and Monitors

Surgery was originally performed by the surgeon looking through the eye piece of the endoscope but this traditional technique is seldom used anymore. Currently, most surgeons connect a video camera to the endoscope which enables the surgeon to operate using the view on the monitor. A significant advantage of operating from the monitor is the ergonomic advantage this affords the surgeon as he or she can sit or stand next to the patient and not have to bend either their back or neck to obtain a view of the nasal cavity. This is especially valuable if the frontal recess is being operated upon as the surgeon viewing the procedure through the eyepiece




Fig. 1.1 (a) The blade open and (b) with tissue being sucked into the blade prior to rotation of the inner blade and severing of the tissue.