

Martin Caon

# Examination Questions and Answers in Basic Anatomy and Physiology

2400 Multiple Choice Questions

*Second Edition*

 Springer

# Examination Questions and Answers in Basic Anatomy and Physiology

Martin Caon

# Examination Questions and Answers in Basic Anatomy and Physiology

2400 Multiple Choice Questions

Second Edition

 Springer

Martin Caon  
College of Nursing and Health Sciences  
Flinders University  
Bedford Park, SA, Australia

ISBN 978-3-319-75598-4      ISBN 978-3-319-75599-1 (eBook)  
<https://doi.org/10.1007/978-3-319-75599-1>

Library of Congress Control Number: 2018935146

© Springer International Publishing AG, part of Springer Nature 2016, 2018

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

The publisher, the authors and the editors are safe to assume that the advice and information in this book are believed to be true and accurate at the date of publication. Neither the publisher nor the authors or the editors give a warranty, express or implied, with respect to the material contained herein or for any errors or omissions that may have been made. The publisher remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Printed on acid-free paper

This Springer imprint is published by the registered company Springer International Publishing AG part of Springer Nature.

The registered company address is: Gewerbestrasse 11, 6330 Cham, Switzerland

# Preface to the Second Edition

Two thousand four hundred multiple choice questions that could be asked of a student of introductory human anatomy and physiology are presented in 40 categories. In addition, there are 62 topics for a written assignment (essay topics) that may be used in such a course and as an assessment task for such students.

It is assumed that users of these questions are teachers or students who have completed at least part of an Anatomy and Physiology course that might be offered in the first year of a university degree program. It is also assumed that they would have access to one of the Anatomy and Physiology textbooks (or similar) listed in the bibliography below. Each question category has an Introduction containing a summary of useful knowledge pertinent to that category of question. However, not all possible information is provided within these Introductions, so a textbook is indispensable. The summary Introductions are composed with vocabulary that may be unfamiliar to the beginning student but which should be known in order to understand the questions. You will need to look up the meaning of many unfamiliar words as your studies progress.

All questions have been used at least once, during the author's teaching career, in end of semester examinations of a university first-year undergraduate introductory anatomy and physiology course or a physical science course for Health Sciences students to support their anatomy and physiology study. Consequently, they reflect the author's choice of content. Students enrolled in the courses for which these questions were written include nursing, midwifery, paramedic, physiotherapy, occupational therapy, nutrition & dietetics, health science students, exercise science students and students taking the course as an elective. Many of the students do not have an extensive background in science from their secondary schooling. Some knowledge of physical science is required to understand physiology; hence, physical science questions are included. Students without some background knowledge in chemistry and physics will find such questions challenging and will need to work a little harder to develop their background knowledge. The boundary between chemistry and biochemistry is not distinct; nevertheless, chemistry is implicit in physiology. Furthermore, the physics of the body becomes physiology so gradually that sometimes the boundary between the two is only noticed after it has been crossed.

Some questions were difficult to categorise and may span two (or more) categories. Furthermore, in order to answer some questions, you may need knowledge drawn from other “sections” of anatomy different from the name of the section in which the question appears. This is not a bad thing as it emphasises the connected nature of human anatomy and physiology. Each question is unique (there are no duplicates). However, many questions will be examining the same (or similar) material albeit with a differently worded question or a different selection of answers. If the questions are to be used to compile an examination, then care should be taken to exclude questions that are too similar to already selected ones. On the other hand, if the questions are to be used for instruction or study purposes, I would suggest including several similar questions in consecutive order to emphasise the point and to give the student practice.

## Advice to the Exam Candidate

The correct choice of answer for each question is provided. Accompanying the correct choice is a justification for the choice or an explanation of the correct answer, and sometimes of why the other choices are incorrect. The degree of difficulty varies, but not by intentional design. The perception of difficulty depends on that part of science that the question examines, the level of scientific background brought to the course by the student and their level of studious preparation for the examination.

There is only one best correct answer for each of the multiple choice questions among the four choices presented. However, there may be more than one correct answer. You must choose the **best** one. In marking multiple choice questions, I suggest that that one mark be allocated for a correct answer and that a quarter of a mark be deducted for a wrong answer or an unanswered question. Deducting a quarter mark will reduce the score that would be gained by selecting an answer from the four choices purely at random (i.e. guessing), from about 25% to about 6%. Not to deduct a quarter mark is, in my opinion, unsound. Hence in an examination, never leave a question unanswered. If you cannot decide on an answer, guess at it (after eliminating any choices that you deem to be incorrect). That is, you will be rewarded for the ability to decrease the number of choices from which you are guessing, from 4 to 3 or 2.

Be aware of questions that are asked in the negative. That is, have NOT true; or FALSE; or INCORRECT; or EXCEPT one, in the stem. In this case, you are seeking a statement that is wrong in order to answer the question. Do not be intimidated by arithmetical calculations. The calculation itself will be simple. Deciding what to add, multiply or divide with what, is the tricky part.

Some questions have been published before in the book: Caon, M. & Hickman, R. (2003) *Human Science: Matter and Energy in the Human Body* 3rd ed, Crawford House Australia Publishing, Belair South Australia, and are used with the authors' permission.

## **Some Thoughts on Writing Good MCQs and on Answering Poorly Prepared MCQ Quizzes**

### ***Ten Pieces of Advice for Writing Good Multiple Choice Questions***

1. Make all the choices of answer about the same length.
2. Don't write choices that use "all of the above", "none of the above", "both A and B", "never", "all", etc. (If you can't think of sufficient choices for distractors, then discard that question).
3. Use plausible distractors (don't use funny, absurd, or cute choices).
4. If the choices are all numbers, list them in order of increasing magnitude.
5. Avoid choices where two are the opposite of each other (One might be guessed to be true).
6. Make the stem ask a question. Don't include irrelevant material in the stem. Don't unintentionally provide a clue in the question.
7. Spread the correct answer evenly (and randomly) among the choices. In questions with four choices, about 25% of the correct choices should be "A", about 25% "B", etc. Don't avoid having two or three consecutive answers that are the same letter choice.
8. Limit the number of questions "asked in the negative". That is, where a false statement is the correct choice.
9. Be grammatically correct when writing the question and the choices. Don't be ambiguous.
10. If only one choice is meant to be the best correct answer, make sure that it is so.

### ***Five Ways to Score More Highly on a Poorly Prepared Multiple Choice Question Test***

Knowing the subject matter is the best way to score well in a multiple choice test, but if you do not know the answer, always guess at it after crossing out the obvious wrong answers first. Your guess will then be an educated guess.

- (i) Eliminate the obvious wrong answers first!!!
  1. If marks are deducted for incorrect answers but NOT deducted for unanswered questions, do not answer the questions you are sure that you don't know the answer to.
  2. If one of the choices is: "none of the above" or "all of the above", choose that answer.
  3. Look at the answers to the preceding and following questions. If you are guessing, don't select a choice that is the same as the previous or the next choice. (This only works if you have chosen those answers correctly!)

4. Choose the longest answer.
5. Eliminate the choices with absolute statements such as: never, always, all...

### **Some Thoughts on the Marking of MCQ Tests (Where There Are 4 Choices of Answer, One of Which Is the Best Correct)**

Testing for knowledge is an imprecise science. Using multiple choice questions (MCQ) for the testing simplifies the marking but also introduces additional uncertainties and some unfairness.

I award one mark for each correct answer. This would mean that someone may score 25% without any study simply by guessing (assuming that correct choices are spread evenly among the 4 choices). Hence, I also deduct  $\frac{1}{4}$  of a mark for each incorrect answer or unanswered question. With this deduction, it follows that in a 100 question quiz, the total guesser will score approximately:  $25 \text{ correct} - (75 \text{ incorrect}) \times \frac{1}{4} = 25 - 18\frac{3}{4} = 6\frac{1}{4}\%$  rather than about 25% if marks were not deducted for incorrect answers.

My reasoning is as follows. If you randomly choose the answers for 4 questions that each have a choice of four answers, the probability of guessing one correct answer from the four questions is:  $\frac{1}{4} + \frac{1}{4} + \frac{1}{4} + \frac{1}{4} = 1$  and you would be awarded 1 mark out of 4. This would be undeserved as you did not know any answers. By deducting  $\frac{1}{4}$  for each wrong answer, your score for guessing the answers to these four questions would become  $1 - \frac{3}{4} = \frac{1}{4}$  mark. The score is still undeserved but more reasonable. Nevertheless, I advise my students to guess at the answer if they do not know it, after eliminating the obviously erroneous choices. If the student can reduce the potentially correct answers from 4 to 3 or 2 before guessing, the probability of guessing correctly from the remaining choices is higher and they will score more marks. For example, the probability of guessing 4 answers correctly after eliminating one or two obviously incorrect choices may be:  $\frac{1}{3} + \frac{1}{2} + \frac{1}{3} + \frac{1}{2} = 1.67$ . Hence, on average you would be awarded 1.67 of the 4 marks (minus the deduction for wrong answers). This is reasonable as you deserve some credit for knowing that some of the choices were wrong.

Should a  $\frac{1}{4}$  mark be deducted for each unanswered question? Before I answer this, let's consider four possible strategies for awarding marks to a multiple choice question quiz with 100 questions.

Strategy 1: award 1 mark for a correct answer.

Strategy 2: award 1 mark for a correct answer and deduct a  $\frac{1}{3}$  mark for wrong answers.

Strategy 3: award 1 mark for a correct answer and deduct a  $\frac{1}{4}$  mark for wrong answers.

Strategy 4: award 1 mark for a correct answer and deduct a  $\frac{1}{4}$  mark for wrong answers AND for unanswered questions.



Given that there are 4 choices to each question and only one is correct, and that the correct choice is evenly allocated between choices A, B, C and D, which strategy is fairer? Clearly the more you get correct, the higher the score. It is also clear that students who bring their knowledge to bear on answering the quiz, that is, are not merely selecting choices at random, will choose far more than 25% of the answers correctly.

Consider strategy 1. If a student attempts all questions, the lowest probable score (by random guessing) is 25%, not zero. Hence, 25% is equivalent to zero (no knowledge), and the range of possible scores in a four-choice MCQ quiz is from 25 to 100, rather than from 0 to 100. This strategy suffers from rewarding lack of knowledge with 25% of the marks and also constricts the range of marks to about three-quarters of the true range. To account for the marks obtained by guessing, the examiner may choose to set as a pass mark, a number greater than 50/100 as the passing score for the quiz, for example, 60 or 70 or 75/100. If another student leaves some questions unanswered, perhaps because this student does not know the answers, then their maximum possible score is reduced by the number of unanswered questions. The scenario for such students remains largely as described above. However, it is possible for both students to answer the same number of questions correctly and so attain the same score despite the second student leaving some questions unanswered (Table 1, column 4). The examiner may consider that this outcome is fair.

It seems reasonable to me to deduct marks for an incorrect answer when the answer is chosen from four possibilities, as is the case for the type of multiple choice questions being considered. It also seems too great a penalty to deduct a mark (or half a mark) for an incorrect choice as the result would be a negative score when less than 50% (or 33%) of questions are answered correctly. Would deducting  $\frac{1}{3}$  mark or a  $\frac{1}{4}$  mark produce a fairer result?

Consider strategy 2. In a 100 question quiz, when  $\frac{1}{3}$  mark is deducted for incorrect answers only, Student #1 who answers 50 questions correctly and 50 incorrectly is awarded 33.3 (see Table 2, column 6). Furthermore, Student #3 who chooses not to answer 10 questions but still answers 50 questions correctly (and 40 incorrectly) is awarded a higher score (36.7) than student #1. Is this an intended consequence?

**Table 1** Considers 4 students who all answer 50 questions correctly but choose to leave different numbers of questions unanswered. Two scenarios are considered where a  $\frac{1}{4}$  mark is deducted for wrong answers (column 6), and for wrong answers and also for unanswered questions (column 7)

	# of MCQ answered	Unanswered MCQ	Correctly answered MCQ	Incorrectly answered MCQ	Score when $-\frac{1}{4}$ for incorrect answers	Score when $-\frac{1}{4}$ for incorrect and for unanswered	Extra score if the unanswered MCQ were guessed at
Student 1	100	0	50/100	50	37.5	37.5	na
Student 2	95	5	50/95	45	38.75	37.5	+1.25
Student 3	90	10	50/90	40	40	37.5	+2.5
Student 4	50	50	50/50	0	50	37.5	+12.5

**Table 2** Considers 4 students who all answer 50 questions correctly but choose to leave different numbers of questions unanswered. A  $\frac{1}{3}$  mark is deducted only for wrong answers

	# of MCQ answered	Unanswered MCQ	Correctly answered MCQ	Incorrectly answered MCQ	Score when $-\frac{1}{3}$ deducted for incorrect answer
Student 1	100	0	50/100	50	33.3
Student 2	95	5	50/95	45	35
Student 3	90	10	50/90	40	36.7
Student 4	50	50	50/50	0	50

Compare this with strategy 3 where a  $\frac{1}{4}$  mark (rather than  $\frac{1}{3}$  mark) is deducted. The same scenarios above result in the Students #1 and #3 being awarded 37.5 and 40, respectively, for their 50 correct answers (see Table 1, column 6), instead of 33.5 and 36.7 (if a third of a mark were deducted). Hence, there is more reward for effort when only a  $\frac{1}{4}$  mark is deducted. However, both strategies will result in students scoring more highly if they are able to strategically omit answering questions that they are sure they don't know the answer to. Thus, students are rewarded for knowing what they don't know – or for omitting to study a section of the course and avoiding the questions on that part of the course. This is the same as inviting students to choose which questions they wish to answer and rewarding them for answering fewer questions. It is for this reason that I deduct a  $\frac{1}{4}$  mark for unanswered questions. When marks are deducted for wrong answers (but not for unanswered questions), even for the same number of correct answers (50 in Tables 1 and 2), the more MCQ you leave unanswered (between 0 and 50), the higher will be the score. Hence, students would be encouraged to leave answers to questions that they are unsure about (or have not studied), blank.

Consider strategy 4. When a  $\frac{1}{4}$  mark is deducted for wrong answers and also for unanswered questions, students are compelled to answer all the questions. In a 100 question quiz, student #1, who answers 100 questions – 50 correctly and 50 incorrectly – is awarded 37.5 (see Table 1, column 7). Student #3 who chooses not to answer 10 questions but still answers 50 questions correctly (and 40 incorrectly) is also awarded the score of 37.5 (rather than the higher score of 40 if strategy 3 was used to encourage the student to guess at the answers to the 10 unanswered questions). If the second student had, instead of leaving 10 MCQ unanswered, simply guessed at the 10 answers, they would probably have scored another 2 or 3 marks (Table 1, column 8). Indeed if they had guessed the answers after first eliminating any choices they knew to be incorrect, they may have scored more than 2.5 extra marks (on average).

This marking strategy rewards students for correctly guessing at answers instead of leaving some questions unanswered. This is compensated for by the  $\frac{1}{4}$  mark deduction for incorrect answers. However, students are penalised if they do not answer (or don't guess at) questions on some parts of the course. Furthermore, students who guess from fewer choices are rewarded for having the knowledge to eliminate some choices prior to guessing from the remaining choices. Such students will probably guess correctly more than 25% of the time. This is a more

**Table 3** Considers 4 students who all answer the same number of questions (and choose to leave 10 questions unanswered), but who answer different numbers of questions correctly

	# of MCQ answered	Unanswered MCQ	Correctly answered MCQ	Incorrectly answered MCQ	Score when $-\frac{1}{4}$ deducted for incorrect answer	Score when $-\frac{1}{4}$ also for unanswered	Extra score if unanswered MCQ were guessed
Student 1	90	10	90/90	0	90	87.5	+2.5
Student 2	90	10	80/90	10	77.5	75	+2.5
Student 3	90	10	70/90	20	65	62.5	+2.5
Student 4	90	10	50/90	40	40	37.5	+2.5

searching test of their knowledge of the course and is why I deduct  $\frac{1}{4}$  for each unanswered question.

**Table 4** When 1 mark is awarded for a correct answer and  $\frac{1}{4}$  marks are deducted for wrong answers AND also for questions that are not answered, column 2 of the Table below displays the score that would be awarded by answering correctly the number of questions in column 1

Correct answers (out of 100)	Awarded score (%)	Correct answers (out of 100)	Awarded score (%)	Correct answers (out of 100)	Awarded score (%)
100	100	73	66	46	33
99	99	72	65	45	31
98	98	71	64	44	30
97	96	70	63	43	29
96	95	69	61	42	28
95	94	68	60	41	26
94	93	67	59	40	25%
93	91	66	58	39	24
92	90	65	56	38	23
91	89	64	55	37	21
90	88	63	54	36	20
89	86	62	53	35	19
88	85	61	51	34	18
87	84	60	50%	33	16
86	83	59	49	32	15
85	81	58	48	31	14
84	80	57	46	30	13
83	79	56	45	29	11
82	78	55	44	28	10
81	76	54	43	27	9
80	75%	53	41	26	8
79	74	52	40	25	6%
78	73	51	39	24	5
77	71	50	38	23	4
76	70	49	36	22	3
75	69	48	35	21	1
74	68	47	34	20	0

Deducting  $\frac{1}{4}$  mark for incorrect and blank answers also advantages the better students – those who answer more questions correctly – by increasing their score. Table 3 displays the result of four students who all answer 90 questions (and leave 10 unanswered) and score different numbers of correct answers. If strategy 1 is used, the students' scores would range from 90 to 50 (Table 3, column 4). Strategy 4 would result in a spread of scores between 87.5 and 37.5 (column 7) when 10 MCQ are left unanswered. The score would likely increase 2.5 or more if the students had guessed at these 10 answers, rather than leaving them blank, and the highest scoring student has their mark “restored” to 90. Hence, the student marks would be spread out over a larger range of scores (90–40) than for strategy 1.

When  $\frac{1}{4}$  marks are deducted for wrong answers and also for blank answers, the lowest possible score (by random guessing) is close to 6%, not zero. Hence, 6% is equivalent to zero, so the range of possible scores is from 6 to 100 (see Table 4). The examiner may wish to neglect this discrepancy from zero and use a score of 50% as the passing score for the quiz. Note also from Table 4 that the student who gets 80/100 answers correct has their score adjusted down to 75 due to the guessing deduction, while the student who gets only 40/100 answers correct has their score adjusted more severely to 25 due to the guessing deduction.

Bedford Park, SA, Australia

Martin Caon

## Bibliography

(Textbooks suitable for use in an introductory Anatomy and Physiology course. Later editions may exist, and earlier editions will suffice)

- Caon, M. & Hickman, R. (2003) *Human Science: Matter and Energy in the Human Body*, 3rd ed., Crawford House Australia Publishing, Belair South Australia. ISBN 0863332552.
- Drake, R.L., Vogl, A.W. & Mitchell, A.W.M. (2014) *GRAYS Anatomy for Students*, 3rd ed., Churchill Livingstone, Philadelphia.
- Hall, J.E. (2015) *Guyton and Hall Textbook of Medical Physiology*, 13th ed., W.B. Saunders, Philadelphia.
- Herman Irving P. (2016) *Physics of the Human Body*, 2nd ed., Springer.
- Hobbie, Russell K. & Roth, Bradley (2015) *Intermediate Physics for Medicine and Biology*, 5th ed., Springer.
- Marieb, E.N. & Hoehn, K.N. (2015) *Human Anatomy & Physiology*, 10th ed., Pearson.
- Martini, F.H., Nath, J.L. & Bartholomew, E. F. (2018) *Fundamentals of Anatomy & Physiology*, 11th ed., Pearson.
- Matta, Michael S., Wilbraham, Antony C. & Staley, Dennis D (1996) *Introduction to General, Organic and Biological Chemistry*, D C Heath & Co.
- McKinley, M.P., Oloughlin, V.D. & Bidle, T.S. (2013) *Anatomy & Physiology An Integrative Approach*, McGraw Hill.

- Nave Carl R. & Nave Brenda C. (1985) *Physics for the Health Sciences*, 3rd ed., W. B. Saunders.
- Netter, F.H. (2014) *Atlas of Human Anatomy* 6th ed. Saunders, Philadelphia.
- Patton, K.T. & Thibodeau, G.A. (2016) *Anatomy & Physiology* 9th ed., Elsevier.
- Saladin, K.S. (2014) *Anatomy & Physiology: The unity of form and function* 7th ed., McGraw Hill.
- Sherwood L (2015) *Human physiology from cells to systems* 9th ed., Thomson, Belmont.
- Timberlake Karen C. (2015) *Chemistry: An Introduction to General, Organic, and Biological Chemistry*, 12th ed., Pearson.
- Tortora, G.J. & Derrickson, B. (2014) *Principles of Anatomy & Physiology* 14th ed., Wiley.
- Van De Graff, K.M. & Fox, S.I. (1999) *Concepts of Human Anatomy & Physiology* 5th ed., WCB.
- VanPutte, C. Regan, A. Russo, A. & Seeley, R. (2016) *Seeley's Anatomy & Physiology* 11th ed., McGraw Hill.
- Widmaier E.P, Raff H. & Strang K.T. (2013) *Vander Sherman & Luciano's Human Physiology: the mechanism of body function* 14th ed., McGraw Hill, New York.

# Contents

<b>1</b>	<b>Organisation of the Body</b> . . . . .	1
<b>2</b>	<b>Cells and Tissues</b> . . . . .	11
2.1	Cells and Tissues . . . . .	11
2.2	Cell Cycle (Mitosis and Protein Synthesis) . . . . .	34
<b>3</b>	<b>Measurement, Errors, Data and Unit Conversion</b> . . . . .	41
<b>4</b>	<b>Chemistry for Physiology</b> . . . . .	53
4.1	Atoms and Molecules . . . . .	53
4.2	Solutions . . . . .	66
4.3	Diffusion and Osmosis . . . . .	76
4.4	Tonicity, Moles and Osmoles . . . . .	85
4.5	Acids, Bases and Buffers . . . . .	97
4.6	Organic Chemistry and Macromolecules . . . . .	114
<b>5</b>	<b>Integument</b> . . . . .	125
<b>6</b>	<b>Homeostasis</b> . . . . .	139
<b>7</b>	<b>Skeleton and Joints</b> . . . . .	151
<b>8</b>	<b>Muscles</b> . . . . .	173
<b>9</b>	<b>Gastrointestinal System</b> . . . . .	195
<b>10</b>	<b>Endocrine System</b> . . . . .	227
<b>11</b>	<b>Renal System</b> . . . . .	251
<b>12</b>	<b>Cardiovascular System</b> . . . . .	279
12.1	Blood . . . . .	279
12.2	Heart . . . . .	295
12.3	Blood Vessels . . . . .	309
12.4	Pressure: The Physics of Pressure . . . . .	323
12.5	Pressure Applied to the Cardiovascular System . . . . .	336
12.6	Blood Pressure and Its Control . . . . .	349

- 13 Respiratory System** ..... 369
  - 13.1 Anatomy and Physiology ..... 369
  - 13.2 Pressure Applied to the Respiratory System ..... 393
  
- 14 Nervous System** ..... 405
  - 14.1 Cells and Action Potential ..... 405
  - 14.2 Brain and Spinal Cord Anatomy ..... 420
  - 14.3 Autonomic Nervous System, Neurotransmitters, and Reflexes . . . 440
  - 14.4 Special Senses (Eye and Ear) ..... 454
    - 14.4.1 Eye ..... 454
    - 14.4.2 Ear ..... 465
  
- 15 Reproductive System** ..... 475
  
- 16 Waves, Light Waves, Sound Waves and Ultrasound  
(The Physics of)** ..... 493
  - 16.1 Waves ..... 493
  - 16.2 Light Waves ..... 498
  - 16.3 Sound ..... 502
  - 16.4 Ultrasound ..... 506
  
- 17 Ionising Radiation** ..... 511
  - 17.1 Medical Imaging with X-Radiation ..... 511
  - 17.2 Radioactivity, Radiotherapy, Nuclear Medicine  
and Radiation Safety ..... 519
  
- 18 Electricity** ..... 539
  
- 19 Biomechanics** ..... 551
  
- 20 Body Temperature, Energy and Heat Loss** ..... 567
  
- 21 Essay Topics for a Written Assignment Assessment  
in Anatomy and Physiology** ..... 585

# Chapter 1

## Organisation of the Body



A large part of beginning the study of anatomy and physiology is learning the specialised words that are used. This new terminology may seem daunting, but the challenge lies in its unfamiliarity rather than its difficulty of comprehension. You must expect to encounter a lot of new words and be prepared to learn them over the course of your study. Most of the words contain information as the words are constructed with a prefix and a suffix or a stem that identifies the word as referring to a specific part of anatomy or physiology. Many anatomical and physiological terms are in fact descriptions. For example, extensor carpi radialis longus refers to a muscle that extends the hand at the wrist (the carpals), lies over the radius bone and is the longer of two muscles. Deoxyribonucleic acid (DNA) refers to a molecule that contains units of a ribose sugar with an oxygen atom removed, attached to a base to form a nucleoside and also attached to a phosphoric acid. This sometimes makes the words rather long or unusual.

You should know what the anatomical position of the body is and in what direction the transverse, sagittal and coronal planes of the body lie. Directional terms such as proximal/distal, deep/superficial, superior/inferior, lateral/medial, anterior/posterior and caudal/cephalic allow the location of one anatomical feature to be placed relative to another. The dorsal and ventral body cavities are located on different sides of the body and contain different organs. For ease of communication, the abdomen is divided into nine regions: right hypochondriac, epigastric, left hypochondriac, right lumbar, umbilical, left lumbar, right inguinal, hypogastric (or pubic) and left inguinal regions. Furthermore, you should be aware that superficial anatomical landmarks are referred to by regional names such as popliteal, calcaneal, cephalic, axillary, acromial, etc. You should know the difference between physiology and anatomy and the definitions of metabolism, anabolism and catabolism.

1. Which of the listed terms is described by: “All the chemical processes that take place in the organelles and cytoplasm the cells of the body”?
  - A. Metabolism
  - B. Cellular respiration



- C. Homeostasis
- D. Physiology

Answer is A: The quoted statement is a definition of metabolism.

2. Which major organ lies deep to the right hypochondriac region?

- A. The stomach
- B. The spleen
- C. The liver
- D. The duodenum

Answer is C: Hypochondriac = below the rib cartilage; liver is located mostly on the right side.

3. Which plane of the body divides it into dorsal and ventral regions?

- A. Transverse
- B. Axial
- C. Coronal
- D. Sagittal

Answer is C: Dorsal and ventral = front and back – a coronal section so divides the body into these sections.

4. To which of the following does the “tissue level” of structural organisation refer?

- A. Atoms, ions, molecules and electrolytes
- B. Mitochondria, ribosomes, nucleus, endoplasmic reticulum
- C. Nephron, alveolus, villus, lobule
- D. Muscle, nervous, connective, epithelial

Answer is D: The listed structures are the four major tissue types.

5. The directional term “superior” in anatomy means which of the following?

- A. Cephalic
- B. Ventral
- C. Closer to the top of the head
- D. Closer to the skin surface

Answer is C: Cephalic refers to the head region, while superior refers to being closer to the head than is the other anatomical structure in question.

6. Which of the following is the best definition of physiology?

- A. The microscopic study of tissues and cells
- B. The study of how the body works
- C. All the chemical processes that take place in the organelles of the body’s cells
- D. The body’s automatic tendency to maintain a relatively constant internal environment

Answer is B: Physiology is indeed the study of how the (healthy) body functions.

7. The “anatomical position” could be described as which of the following?

- A. Lying down prone
- B. Lying down supine
- C. Standing displaying the ventral surface of the body
- D. Standing with arms and legs abducted

Answer is C: This is the best answer. Standing is required, as is having the arms hanging parallel to the sides, with palms facing forward.

8. Which choice best describes the location of the majority of the musculoskeletal system?

- A. It is in the dorsal cavity
- B. It is in the ventral cavity
- C. It is in the abdominopelvic cavity
- D. It is not located in a body cavity

Answer is D: The musculoskeletal system is located in the arms and legs, and surrounding, but outside of the abdominopelvic, the thoracic and the dorsal cavities.

9. Which of the following is/are the contents of the ventral cavity?

- A. Heart and lungs
- B. Brain and spinal cord
- C. Viscera
- D. Gut, kidneys, liver, pancreas, spleen, bladder, internal reproductive organs

Answer is C: This is the best answer. It is a collective term for all organs in the thoracic and abdominopelvic cavities.

10. Which of the stated relationships is correct?

- A. The heart is inferior to the clavicle
- B. The shoulder is distal to the carpals
- C. The phalanges are proximal to the metacarpals
- D. The eye is medial to the eyebrows

Answer is A: The heart is indeed below (inferior) to the clavicle. All other choices are wrong.

11. Which of the following is/are the contents of the dorsal body cavity?

- A. Heart and lungs
- B. Brain and spinal cord
- C. Viscera
- D. Gut, kidneys, liver, pancreas, spleen, bladder, internal reproductive organs

Answer is B: Dorsal refers to the back, the cavity enclosed by the skull and vertebrae.

12. Which of the stated relationships is correct?

- A. The heart is superior to the large intestine
- B. The shoulder is distal to the metacarpals
- C. The phalanges are proximal to the carpals
- D. The eye is medial to the nose

Answer is A: The heart is indeed above (superior) to the intestine. All other answers are wrong.

13. What is the study of how body parts function called?

- A. Histology
- B. Physiology
- C. Homeostasis
- D. Metabolism

Answer is B: Physiology refers to function.

14. Which of the following correctly describes the two named body parts?

- A. The elbow is proximal to the shoulder
- B. The phalanges are distal to the carpals
- C. The ribs are proximal to the sternum
- D. The elbow is distal to the knee

Answer is B: Phalanges (finger bones) are indeed further from the trunk along the arm, than are the carpals (wrist bones).

15. Which one of the following statements is correct?

- A. The diaphragm separates the brain and spinal cord.
- B. The ventral cavity contains the male and female reproductive system.
- C. The abdominopelvic cavity contains the spinal cord.
- D. The dorsal cavity contains the brain and spinal cord.

Answer is D: Dorsal means back and that is the cavity with the spinal cord and brain. B is incorrect as the genitalia are outside the ventral cavity.

16. Complete the sentence correctly: "Cervical vertebrae are....."

- A. Superior to the rib cage
- B. Inferior to the thoracic vertebrae
- C. Located between the thoracic and sacral vertebrae
- D. Fused into a single bone called the sacrum

Answer is A: Cervix refers to "neck". The cervical vertebrae are in the neck; hence they are above (superior) to the rib cage.

17. The dorsal body cavity contains which of the following organs?

- A. The brain
- B. The brain and spinal cord
- C. The brain, spinal cord and heart

D. The brain, spinal cord, heart and kidneys

Answer is B: Dorsal refers to the back and is opposite to ventral. Only the brain and spinal cord occupy the dorsal cavity. All other answers are incorrect.

18. What does the process known as anabolism refer to?

- A. The use of energy for producing chemical substances
- B. The breaking down phase of metabolism
- C. All the chemical process that take place in the organelles of the cells
- D. The supply of nutrients to the body's cells

Answer is A: Anabolism refers to the process of constructing/building molecules (think anabolic steroids). B refers to catabolism. C is metabolism.

19. To what does the term “hypochondriac” refer?

- A. A condition of having too few chondria
- B. The region of abdomen inferior to the ribs
- C. A person who often complains of an ailment
- D. Having insufficient cartilage in the knees

Answer is B: In this case “hypo-” means below, while “chondro” refers to the cartilage joining the ribs to the sternum (the costal cartilages). The regions of the abdomen immediately inferior to these rib cartilages (on the left and right sides of the body) are what is being referred to.

20. If a medical image displays internal anatomy in the midsagittal section, which of the following describes the section?

- A. A vertical section through the nose and umbilicus that divides the body into right and left halves
- B. A cross-section through the midriff at about the level of the liver
- C. A cross-section through the upper chest at about the level of the shoulders
- D. A vertical section through the midpoint of the clavicle and through either the right or left thigh

Answer is A: A sagittal section divides the body into left and right portions. A midsagittal section means that the dividing line is in the vertical midline of the body so that the halves are equal.

21. Which of the following best describes the “anatomical position”?

- A. Standing vertically, arms held horizontally, legs apart so that the tips of the head, hands and feet lie on an imaginary circle, drawn around the body
- B. Standing “to attention”, with hands held so that thumbs are ventral while the fifth digit is dorsal
- C. Standing “at ease” with hands clasped behind your back while adjacent and dorsal to the sacrum
- D. Standing vertically, arms parallel and lateral to the ribs with hands inferior to the elbows and supinated

Answer is D: The anatomical position is achieved when standing with feet comfortably apart while displaying the ventral surface of the head, body and forearms to the same direction (forwards).

22. Which term describes the location of the adrenal glands with reference to the kidneys?
- A. Proximal
  - B. Distal
  - C. Superior
  - D. Inferior

Answer is C: The adrenal glands are on the cephalic side of the kidneys. Being closer to the head, they are termed “superior to the kidneys”.

23. Which of the following terms is NOT used to identify a region of the abdomen?
- A. Left hypochondriac
  - B. Hypogastric
  - C. Epigastric
  - D. Right sacral

Answer is D: Right sacral is not a region on the anterior surface of the abdomen.

24. What structure separates the thoracic cavity from the abdominal cavity?
- A. The mediastinum
  - B. The diaphragm
  - C. The peritoneum
  - D. The pylorus

Answer is B: The muscular diaphragm physically separates these two ventral cavities.

25. When the body is standing in the “anatomical position”, which of the following is true?
- A. The radius is lateral to the ulna.
  - B. The radius is medial to the ulna.
  - C. The radius is proximal to the ulna.
  - D. The radius is distal to the ulna.

Answer is A: In the anatomical position, the palms are displayed ventrally. The radius is further from the body’s midline than is the ulna; hence, it is lateral to the ulna.

26. What is the movement called when the arms are moved from the anatomical position by sweeping them through 90° in the coronal plane, so that they are held horizontally (parallel to the ground)?

- A. Pronation
- B. Circumduction
- C. Abduction
- D. Rotation

Answer is C: Moving the straight arms away from the body in this fashion is called abduction.

27. Which bones are located distal to the elbow and proximal to the wrist?

- A. The carpals
- B. The radius and ulna
- C. The tarsals
- D. The humerus

Answer is B: Distal to the elbow means further along the arm towards the hand – this eliminates the humerus. Proximal to the wrist means closer to the body than the wrist – this eliminates the carpals. The tarsals are in the ankle.

28. What is the collective term used for contents of the body's ventral cavity?

- A. The omentum
- B. The peritoneum
- C. The internal organs
- D. The viscera

Answer is D: The peritoneum is the membrane that surrounds the abdominal cavity and the omentum is a portion of that. The internal organs are close but also include the brain which is not in the ventral cavity.

29. What is meant by the term “retroperitoneal”?

- A. On the dorsal side of the lungs
- B. In the space between the spinal cord and the bodies of the vertebrae
- C. Within the body wall but not enclosed by the peritoneum
- D. It is a small bone of the facial skeleton

Answer is D: Retroperitoneal refers to organs inferior to the diaphragm but not enclosed by the peritoneum. For example, the kidneys, pancreas, rectum and part of the duodenum.

30. How does a coronal section divide the body?

- A. Into many transverse slices
- B. Into a ventral part and a dorsal part
- C. Into a left and right section
- D. Into superior and inferior portions

Answer is B: An imaginary cut that divides the body into a front half (or section) and back half is termed coronal. Choice C is sagittal, while choice D is a transverse section.

31. What structure separates the abdominal and pelvic cavities?

- A. There is no separating structure.
- B. The diaphragm.
- C. The peritoneum.
- D. The dura mater.

Answer is A: The pelvic cavity is not physically separated from the abdominal cavity. For example, parts of the small intestine are located in both “cavities”.

32. In which cavity(ies) does the digestive system lie?

- A. The abdominal cavity
- B. The abdominal and pelvic cavities
- C. The thoracic, abdominal and pelvic cavities
- D. The dorsal, thoracic, abdominal and pelvic cavities

Answer is C: The oesophagus is within the thoracic cavity, while the remainder is in the abdominopelvic cavity.

33. Imagine an image of a transverse section of the upper arm. What tissues may be identified there located from the most superficial to the deepest?

- A. Skin, subcutaneous fat, muscle, hypodermis, bone
- B. Epidermis, dermis, hypodermis, muscle, bone
- C. Integument, muscle, superficial fascia, bone, marrow
- D. Hypodermis, subcutaneous fat, muscle, marrow, bone

Answer is B: Choice A is incorrect as hypodermis is more superficial than muscle. Choice C is wrong again because superficial fascia (which is a synonym for hypodermis) is more superficial than muscle. Choice D is wrong as marrow lies within bone, and also hypodermis and subcutaneous fat are almost synonyms.

34. By what anatomical term is the head region known?

- A. Plantar
- B. Cephalic
- C. Hypochondriac
- D. Axillary

Answer is B: The cephalus is the head; the plantar region is the base of the foot; the hypochondriac region is inferior and deep to the rib cartilages of ribs 7–10; the axillary region is the “armpit”.

35. Which organ would be found in the left hypochondriac region?

- A. The appendix
- B. The urinary bladder
- C. The liver
- D. The stomach

Answer is D: Left hypochondriac region is deep to the cartilages of the lower ribs on our left-hand side. The stomach is closest to this region.

36. To which body region does “popliteal” refer?

- A. The region around each eye
- B. The region anterior to the elbow, between arm and forearm
- C. The region dorsal to the knee
- D. The region of the anterior crease between thigh and abdomen

Answer is C: Here the popliteal artery and popliteus tendon may be located. Choice A refers to orbital; B refers to antecubital; D refers to inguinal.

37. Which region of the body is known as the acromial region?

- A. The elbow region
- B. The heel region
- C. The medial ankle region
- D. The shoulder region

Answer is D: The superior part of the shoulder at the distal end of the clavicle is known as acromial. Here the acromion of the scapula articulates with the clavicle at the “ac” or acromioclavicular joint. Choice A is the olecranal region; B the calcaneal; C (the medial malleolus) is not usually ascribed a region name.

38. What are the terms cortex and medulla used to describe?

- A. The cortex is the outer part of an organ or bone, while the medulla is the inner part.
- B. The cortex is the inner part of an organ or bone, while the medulla is the outer part.
- C. The cortex is the deeper part of an organ or bone, while the medulla is the more superficial part.
- D. The medulla refers to the fibrous capsule around an organ, while the cortex is the tissue of an organ.

Answer is A: The cortex of the kidney, for example, is the deep, inner part, while the cortex is the more superficial, outer part.

39. What is meant by the term flexion (or to flex)?

- A. Flexion is where the angle between two long bones is decreased by muscle action.
- B. Flexion is an action performed to stretch (extend) a muscle.
- C. Flexion is where the angle between two long bones is increased by muscle action.
- D. Flexion is caused by the action of contracting a muscle.

Answer is A: To flex an arm is to decrease the angle between the humerus and radius (by contracting the biceps brachii). Choice D is wrong as contracting the triceps brachii causes extension of the forearm.



40. To what movement is the term “extension” applied?

- A. Extension is where the angle between two long bones is decreased by muscle action.
- B. Extension is an action performed to stretch (extend) a muscle.
- C. Extension is where the angle between two long bones is increased by muscle action.
- D. Extension occurs when an antagonistic muscle is allowed to contract.

Answer is C: To extend a body part is to increase the angle between the moving bone and the stationary bone. For example, when the fingers of a clenched fist are allowed to straighten, the angle between the proximal phalanges and the metacarpals increases.

41. What exists in the “potential space” between the visceral and parietal layers of a membrane?

- A. Serous fluid
- B. Nothing
- C. Air
- D. Synovial fluid

Answer is A: Serous membranes have a deeper visceral layer and a more superficial parietal layer. Between them is a small amount of serous fluid to lubricate their movement past each other.

42. One of the images taken for mammography of the compressed breast is known as “cranio-caudal”. What direction is this?

- A. Compression from the medial and lateral sides.
- B. A left to right (sideways) view.
- C. The breast is flattened against the rib cage for imaging.
- D. When standing, the breast is compressed from above and below.

Answer is D: From above (the cranial direction) and below (the caudal, or tail direction).

43. What part of the body is known as the popliteal region?

- A. The fold of the knee
- B. The fold of the elbow
- C. The area around the ears
- D. The medial sides of the ankles

Answer is A: Behind the knee, opposite to the patella is the popliteal region. Here the popliteal pulse and popliteus tendon are found.