



GERARD J. TORTORA / BRYAN DERRICKSON

PRINCIPLES OF  
**ANATOMY  
& PHYSIOLOGY**

FIFTEENTH EDITION

WILEY



# Principles of ANATOMY & PHYSIOLOGY

15th Edition

**GERARD J. TORTORA**

Bergen Community College

**BRYAN DERRICKSON**

Valencia College

**WILEY**

VICE PRESIDENT AND DIRECTOR	Petra Recter
SENIOR EDITOR	Maria Guarascio
ASSOCIATE DEVELOPMENT EDITOR	Laura Rama
ASSISTANT DEVELOPMENT EDITOR	Lindsey Myers
EDITORIAL ASSISTANT	MaryAlice Skidmore
SENIOR MARKETING MANAGER	Alan Halfen
SENIOR CONTENT MANAGER	Svetlana Barskaya
SENIOR PRODUCTION EDITOR	Trish McFadden
SENIOR PHOTO EDITOR	MaryAnn Price
SENIOR PRODUCT DESIGNER	Linda Muriello
TEXT AND COVER DESIGNER	Thomas Nery
COVER PHOTO	©PhotoAlto sas/Alamy Stock Photo

This book was set in 9.5/12.5 Source Sans Pro by Aptara®, Inc. Printed and bound by Quad Graphics. This book is printed on acid-free paper. ∞

Founded in 1807, John Wiley & Sons, Inc. has been a valued source of knowledge and understanding for more than 200 years, helping people around the world meet their needs and fulfill their aspirations. Our company is built on a foundation of principles that include responsibility to the communities we serve and where we live and work. In 2008, we launched a Corporate Citizenship Initiative, a global effort to address the environmental, social, economic, and ethical challenges we face in our business. Among the issues we are addressing are carbon impact, paper specifications and procurement, ethical conduct within our business and among our vendors, and community and charitable support. For more information, please visit our website: [www.wiley.com/go/citizenship](http://www.wiley.com/go/citizenship).

Copyright © 2017 John Wiley & Sons, Inc. All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, scanning or otherwise, except as permitted under Sections 107 or 108 of the 1976 United States Copyright Act, without either the prior written permission of the Publisher, or authorization through payment of the appropriate per-copy fee to the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923 (website: [www.copyright.com](http://www.copyright.com)). Requests to the Publisher for permission should be addressed to the Permissions Department, John Wiley & Sons, Inc., 111 River Street, Hoboken, NJ 07030-5774, (201) 748-6011, fax (201) 748-6008, or online at: [www.wiley.com/go/permissions](http://www.wiley.com/go/permissions).

Evaluation copies are provided to qualified academics and professionals for review purposes only, for use in their courses during the next academic year. These copies are licensed and may not be sold or transferred to a third party. Upon completion of the review period, please return the evaluation copy to Wiley. Return instructions and a free-of-charge return shipping label are available at: [www.wiley.com/go/returnlabel](http://www.wiley.com/go/returnlabel). If you have chosen to adopt this textbook for use in your course, please accept this book as your complimentary desk copy. Outside of the United States, please contact your local representative.

ePUB ISBN 978-1-119-32064-7

The inside back cover will contain printing identification and country of origin if omitted from this page. In addition, if the ISBN on the back cover differs from the ISBN on this page, the one on the back cover is correct.

Printed in the United States of America.

10 9 8 7 6 5 4 3 2 1

# About the Authors



**JERRY TORTORA** is Professor of Biology and former Biology Coordinator at Bergen Community College in Paramus, New Jersey, where he teaches human anatomy and physiology as well as microbiology. He received his bachelor's degree in biology from Fairleigh Dickinson University and his master's degree in science education from Montclair State College. He has been a member of many professional organizations, including the Human Anatomy and Physiology Society (HAPS), the American Society of Microbiology (ASM), American Association for the Advancement of Science (AAAS), National Education Association (NEA), and the Metropolitan Association of College and University Biologists (MACUB).

Above all, Jerry is devoted to his students and their aspirations. In recognition of this commitment, Jerry was the recipient of MACUB's 1992 President's Memorial Award. In 1996, he received a National Institute for Staff and Organizational Development (NISOD) excellence award from the University of Texas and was selected to represent Bergen Community College in a campaign to increase awareness of the contributions of community colleges to higher education.

Jerry is the author of several best-selling science textbooks and laboratory manuals, a calling that often requires an additional 40 hours per week beyond his teaching responsibilities. Nevertheless, he still makes time for four or five weekly aerobic workouts that include biking and running. He also enjoys attending college basketball and professional hockey games and performances at the Metropolitan Opera House.

*To all my children: Lynne, Gerard Jr., Kenneth, Anthony, and Drew, whose love and support have been the wind beneath my wings. GJT*



**BRYAN DERRICKSON** is Professor of Biology at Valencia College in Orlando, Florida, where he teaches human anatomy and physiology as well as general biology and human sexuality. He received his bachelor's degree in biology from Morehouse College and his Ph.D. in cell biology from Duke University. Bryan's study at Duke was in the Physiology Division within the Department of Cell Biology, so while his degree is in cell biology, his training focused on physiology. At Valencia, he frequently serves on faculty hiring committees. He has served as a member of the Faculty Senate, which is the governing body of the college, and as a member of the Faculty Academy Committee (now called the Teaching and Learning Academy), which sets the standards for the acquisition of tenure by faculty members. Nationally, he is a member of the Human Anatomy and Physiology Society (HAPS) and the National Association of Biology Teachers (NABT). Bryan has always wanted to teach. Inspired by several biology professors while in college, he decided to pursue physiology with an eye to teaching at the college level. He is completely dedicated to the success of his students. He particularly enjoys the challenges of his diverse student population, in terms of their age, ethnicity, and academic ability, and finds being able to reach all of them, despite their differences, a rewarding experience. His students continually recognize Bryan's efforts and care by nominating him for a campus award known as the "Valencia Professor Who Makes Valencia a Better Place to Start." Bryan has received this award three times.

*To my family: Rosalind, Hurley, Cherie, and Robb. Your support and motivation have been invaluable to me. B.H.D.*

# Preface

Welcome to your course in anatomy and physiology! Many of you are taking this course because you hope to pursue a career in one of the allied health fields or nursing. Or perhaps you are simply interested in learning more about your own body. Whatever your motivation, ***Principles of Anatomy and Physiology, 15<sup>th</sup> edition*** and **WileyPLUS** have all the content and tools that you need to successfully navigate what can be a very challenging course.

Over the past fourteen editions of this text we have made every effort to provide you with an accurate, clearly written, and expertly illustrated presentation of the structure and function of the human body and to explore the practical and relevant applications of your knowledge to everyday life and career development. This fifteenth edition remains true to these goals. It distinguishes itself from prior editions with updated and new illustrations and enhanced digital online learning resources.

## Engaging Digitally

The content in ***Principles of Anatomy and Physiology*** is completely integrated into **WileyPLUS**. This allows you to create a personalized

study plan, assess your progress along the way, and access the content and resources you need to master the material. WileyPLUS provides immediate insight into your strengths and problem areas with visual reports that highlight what's most important for you to act on.

Many dynamic programs integrated into the course help build your knowledge and understanding, and keep you motivated. Fifteen **3-D Physiology** animations were developed around the most difficult physiological concepts to help students like you understand them more effectively. **Muscles in Motion** are animations of the seven major joints of the body, helping you learn origin, insertion, and movements of muscles surrounding those joints. **Real Anatomy** is 3-D imaging software that allows you to dissect through multiple layers of a real human body to study and learn the anatomical structures of all body systems. And **Anatomy Drill and Practice** lets you test your knowledge of structures with easy drag-and-drop or fill-in-the-blank labeling exercises. You can practice labeling illustrations, cadaver photographs, histology micrographs, or anatomical models.

**WileyPLUS** also includes **ORION** – integrated adaptive practice that helps you build proficiency and use your study time most effectively.

---

## Acknowledgments

***Principles of Human Anatomy & Physiology 15e*** and **WileyPLUS with ORION** would not be possible without the help of many, particularly the academic colleagues who collaborated with us along the way. We are very grateful that Wiley has commissioned a board of advisors in anatomy and physiology to act as a sounding board on course issues, challenges, and solutions. In particular we thank those members of the board with expertise in the 2-semester A&P course: DJ Hennager, Kirkwood Community College; Heather Labbe, University of Montana-Missoula; Tom Lancraft, St. Petersburg College; Russel Nolan, Baton Rouge Community College; and Terry Thompson, Wor-Wic Community College.

We wish to especially thank several academic colleagues for their helpful contributions to this edition, particularly to WileyPLUS with ORION. The improvements and enhancements for this edition are possible in large part because of the expertise and input of the following group of people:

Matthew Abbott, Des Moines Area Community College  
Ayanna Alexander-Street, Lehman College of New York  
Donna Balding, Macon State College  
Celina Bellanceau, Florida Southern College  
Dena Berg, Tarrant County College  
Betsy Brantley, Valencia Community College  
Susan Burgoon, Armadillo College

Steven Burnett, Clayton State University  
Heidi Bustamante, University of Colorado, Boulder  
Anthony Contento, Colorado State University  
Liz Csikar, Mesa Community College  
Kent Davis, Brigham Young University, Idaho  
Kathryn Durham, Lorain County Community College  
Kaushik Dutta, University of New England  
Karen Eastman, Chattanooga State Community College  
John Erickson, Ivy Tech Community College of Indiana  
Tara Fay, University of Scranton  
John Fishback, Ozark Tech Community College  
Linda Flora, Delaware County Community College  
Aaron Fried, Mohawk Valley Community College  
Sophia Garcia, Tarrant County Community College  
Lynn Gargan, Tarrant County Community College  
Caroline Garrison, Carroll Community College  
Harold Grau, Christopher Newport University  
Mark Hubley, Prince George's Community College  
Jason Hunt, Brigham Young University, Idaho  
Lena Garrison, Carroll Community College  
Geoffrey Goellner, Minnesota State University, Mankato

DJ Hennager, Kirkwood Community College  
 Lisa Hight, Baptist College of Health Sciences  
 Alexander Imholtz, Prince George's Community College  
 Michelle Kettler, University of Wisconsin  
 Cynthia Kincer, Wytheville Community College  
 Tom Lancraft, St. Petersburg College  
 Claire Leonard, William Paterson University  
 Jerri Lindsey, Tarrant County Community College  
 Alice McAfee, University of Toledo  
 Shannon Meadows, Roane State Community College  
 Shawn Miller, University of Utah  
 Erin Morrey, Georgia Perimeter College  
 Qian Moss, Des Moines Area Community College  
 Mark Nielsen, University of Utah  
 Margaret Ott, Tyler Junior College  
 Eileen Preseton, Tarrant County College  
 Saeed Rahmadian, Roane State Community College  
 Sandra Reznik, St. John's University  
 Laura Ritt, Burlington Community College  
 Amanda Rosenzweig, Delgado Community College  
 Jeffrey Spencer, University of Akron  
 Sandy Stewart, Vincennes University  
 Jane Torrie, Tarrant County College

Maureen Tubbiola, St. Cloud State  
 Jamie Weiss, William Paterson University

Finally, our hats are off to everyone at Wiley. We enjoy collaborating with this enthusiastic, dedicated, and talented team of publishing professionals. Our thanks to the entire team: Maria Guarascio, Senior Editor; Linda Muriello, Senior Product Designer; Lindsey Myers, Assistant Development Editor; MaryAlice Skidmore, Editorial Assistant; Trish McFadden, Content Management Editor; Mary Ann Price, Photo Manager; Tom Nery, Designer; and Alan Halfen, Senior Marketing Manager.

**GERARD J. TORTORA**

*Department of Science and Health, S229  
 Bergen Community College  
 400 Paramus Road  
 Paramus, NJ 07652  
 gjtauthor01@optonline.com*

**BRYAN DERRICKSON**

*Department of Science, PO Box 3028  
 Valencia College  
 Orlando, FL 32802  
 bderrickson@valenciacollege.edu*

## A personalized, adaptive learning experience.

WileyPLUS with ORION delivers easy-to-use analytics that help educators and students see strengths and weaknesses to give learners the best chance of succeeding in the course.




Photo credit: Monkey Business Images/Shutterstock



### Identify which students are struggling early in the semester.

Educators assess the real-time engagement and performance of each student to inform teaching decisions. Students always know what they need to work on.



### Help students organize their learning and get the practice they need.

With ORION's adaptive practice, students quickly understand what they know and don't know. They can then decide to study or practice based on their proficiency.



### Measure outcomes to promote continuous improvement.

With visual reports, it's easy for both students and educators to gauge problem areas and act on what's most important.



# Brief Contents

## PREFACE **iv**

- 1** An Introduction to the Human Body **1**
- 2** The Chemical Level of Organization **28**
- 3** The Cellular Level of Organization **60**
- 4** The Tissue Level of Organization **106**
- 5** The Integumentary System **144**
- 6** The Skeletal System: Bone Tissue **171**
- 7** The Skeletal System: The Axial Skeleton **194**
- 8** The Skeletal System: The Appendicular Skeleton **234**
- 9** Joints **260**
- 10** Muscular Tissue **293**
- 11** The Muscular System **330**
- 12** Nervous Tissue **403**
- 13** The Spinal Cord and Spinal Nerves **446**
- 14** The Brain and Cranial Nerves **477**
- 15** The Autonomic Nervous System **526**
- 16** Sensory, Motor, and Integrative Systems **548**
- 17** The Special Senses **576**
- 18** The Endocrine System **622**
- 19** The Cardiovascular System: The Blood **668**
- 20** The Cardiovascular System: The Heart **695**
- 21** The Cardiovascular System: Blood Vessels and Hemodynamics **737**
- 22** The Lymphatic System and Immunity **808**
- 23** The Respiratory System **850**
- 24** The Digestive System **898**

**viii** BRIEF CONTENTS

- 25** Metabolism and Nutrition **953**
- 26** The Urinary System **993**
- 27** Fluid, Electrolyte, and Acid–Base Homeostasis **1036**
- 28** The Reproductive Systems **1055**
- 29** Development and Inheritance **1107**
  
- APPENDIX **A** Measurements **A-1**
- APPENDIX **B** Periodic Table **B-3**
- APPENDIX **C** Normal Values for Selected Blood Tests **C-4**

GLOSSARY / INDEX

## 1 An Introduction to the Human Body 1

---

- 1.1 Anatomy and Physiology Defined 2
- 1.2 Levels of Structural Organization and Body Systems 2
- 1.3 Characteristics of the Living Human Organism 5
- 1.4 Homeostasis 8
- 1.5 Basic Anatomical Terminology 13
- 1.6 Aging and Homeostasis 21
- 1.7 Medical Imaging 22

Chapter Review 25 / Critical Thinking Questions 27 / Answers to Figure Questions 27

## 2 The Chemical Level of Organization 28

---

- 2.1 How Matter Is Organized 29
- 2.2 Chemical Bonds 32
- 2.3 Chemical Reactions 36
- 2.4 Inorganic Compounds and Solutions 39
- 2.5 Overview of Organic Compounds 43
- 2.6 Carbohydrates 44
- 2.7 Lipids 46
- 2.8 Proteins 49
- 2.9 Nucleic Acids 54
- 2.10 Adenosine Triphosphate 56

Chapter Review 57 / Critical Thinking Questions 59 / Answers to Figure Questions 59

## 3 The Cellular Level of Organization 60

---

- 3.1 Parts of a Cell 61
- 3.2 The Plasma Membrane 62
- 3.3 Transport across the Plasma Membrane 65
- 3.4 Cytoplasm 74
- 3.5 Nucleus 85
- 3.6 Protein Synthesis 88
- 3.7 Cell Division 92
- 3.8 Cellular Diversity 99
- 3.9 Aging and Cells 99

Chapter Review 102 / Critical Thinking Questions 104 / Answers to Figure Questions 105

## 4 The Tissue Level of Organization 106

---

- 4.1 Types of Tissues 107
- 4.2 Cell Junctions 108
- 4.3 Comparison between Epithelial and Connective Tissues 109
- 4.4 Epithelial Tissue 110
- 4.5 Connective Tissue 122
- 4.6 Membranes 133
- 4.7 Muscular Tissue 135
- 4.8 Nervous Tissue 137
- 4.9 Excitable Cells 138
- 4.10 Tissue Repair: Restoring Homeostasis 138
- 4.11 Aging and Tissues 139

Chapter Review 141 / Critical Thinking Questions 142 / Answers to Figure Questions 143

## 5 The Integumentary System 144

---

- 5.1 Structure of the Skin 145
- 5.2 Accessory Structures of the Skin 152
- 5.3 Types of Skin 158
- 5.4 Functions of the Skin 158
- 5.5 Maintaining Homeostasis: Skin Wound Healing 160
- 5.6 Development of the Integumentary System 161
- 5.7 Aging and the Integumentary System 163

Chapter Review 169 / Critical Thinking Questions 170 / Answers to Figure Questions 170

## 6 The Skeletal System: Bone Tissue 171

---

- 6.1 Functions of Bone and the Skeletal System 172
- 6.2 Structure of Bone 172
- 6.3 Histology of Bone Tissue 174
- 6.4 Blood and Nerve Supply of Bone 177
- 6.5 Bone Formation 178
- 6.6 Fracture and Repair of Bone 185
- 6.7 Bone's Role in Calcium Homeostasis 188
- 6.8 Exercise and Bone Tissue 189
- 6.9 Aging and Bone Tissue 189

Chapter Review 192 / Critical Thinking Questions 193 / Answers to Figure Questions 193

## 7 The Skeletal System: The Axial Skeleton 194

---

- 7.1 Divisions of the Skeletal System 195
- 7.2 Types of Bones 197
- 7.3 Bone Surface Markings 197
- 7.4 Skull: An Overview 198
- 7.5 Cranial Bones 199
- 7.6 Facial Bones 208
- 7.7 Special Features of the Skull 210
- 7.8 Hyoid Bone 215
- 7.9 Vertebral Column 215
- 7.10 Vertebral Regions 218
- 7.11 Thorax 225

Chapter Review 231 / Critical Thinking Questions 232 /  
Answers to Figure Questions 232

## 8 The Skeletal System: The Appendicular Skeleton 234

---

- 8.1 Pectoral (Shoulder) Girdle 235
- 8.2 Upper Limb (Extremity) 238
- 8.3 Pelvic (Hip) Girdle 243
- 8.4 False and True Pelves 245
- 8.5 Comparison of Female and Male Pelves 247
- 8.6 Lower Limb (Extremity) 247
- 8.7 Development of the Skeletal System 255

Chapter Review 259

## 9 Joints 260

---

- 9.1 Joint Classifications 261
- 9.2 Fibrous Joints 261
- 9.3 Cartilaginous Joints 263
- 9.4 Synovial Joints 264
- 9.5 Types of Movements at Synovial Joints 266
- 9.6 Types of Synovial Joints 271
- 9.7 Factors Affecting Contact and Range of Motion at Synovial Joints 274
- 9.8 Selected Joints of the Body 274
- 9.9 Temporomandibular Joint 277
- 9.10 Shoulder Joint 278
- 9.11 Elbow Joint 281
- 9.12 Hip Joint 282
- 9.13 Knee Joint 284
- 9.14 Aging and Joints 287
- 9.15 Arthroplasty 287

Chapter Review 291 / Critical Thinking Questions 292 /  
Answers to Figure Questions 292

## 10 Muscular Tissue 293

---

- 10.1 Overview of Muscular Tissue 294
- 10.2 Structure of Skeletal Muscle Tissue 295
- 10.3 Contraction and Relaxation of Skeletal Muscle Fibers 304
- 10.4 Muscle Metabolism 312
- 10.5 Control of Muscle Tension 315
- 10.6 Types of Skeletal Muscle Fibers 318
- 10.7 Exercise and Skeletal Muscle Tissue 319
- 10.8 Cardiac Muscle Tissue 321
- 10.9 Smooth Muscle Tissue 321
- 10.10 Regeneration of Muscular Tissue 323
- 10.11 Development of Muscle 325
- 10.12 Aging and Muscular Tissue 325

Chapter Review 327 / Critical Thinking Questions 329 /  
Answers to Figure Questions 329

## 11 The Muscular System 330

---

- 11.1 How Skeletal Muscles Produce Movements 331
- 11.2 How Skeletal Muscles Are Named 335
- 11.3 Overview of the Principal Skeletal Muscles 335
- 11.4 Muscles of the Head That Produce Facial Expressions 339
- 11.5 Muscles of the Head That Move the Eyeballs (Extrinsic Eye Muscles) and Upper Eyelids 342
- 11.6 Muscles That Move the Mandible and Assist in Mastication and Speech 344
- 11.7 Muscles of the Head That Move the Tongue and Assist in Mastication and Speech 345
- 11.8 Muscles of the Anterior Neck That Assist in Deglutition and Speech 347
- 11.9 Muscles of the Neck That Move the Head 349
- 11.10 Muscles of the Abdomen That Protect Abdominal Viscera and Move the Vertebral Column 351
- 11.11 Muscles of the Thorax That Assist in Breathing 354
- 11.12 Muscles of the Pelvic Floor That Support the Pelvic Viscera and Function as Sphincters 357
- 11.13 Muscles of the Perineum 358
- 11.14 Muscles of the Thorax That Move the Pectoral Girdle 360
- 11.15 Muscles of the Thorax and Shoulder That Move the Humerus 363
- 11.16 Muscles of the Arm That Move the Radius and Ulna 366
- 11.17 Muscles of the Forearm That Move the Wrist, Hand, Thumb, and Digits 370
- 11.18 Muscles of the Palm That Move the Digits—Intrinsic Muscles of the Hand 375
- 11.19 Muscles of the Neck and Back That Move the Vertebral Column 379

- 11.20** Muscles of the Gluteal Region That Move the Femur 383
- 11.21** Muscles of the Thigh That Move the Femur, Tibia, and Fibula 389
- 11.22** Muscles of the Leg That Move the Foot and Toes 391
- 11.23** Intrinsic Muscles of the Foot That Move the Toes 396

Chapter Review 401 / Critical Thinking Questions 402 /  
Answers to Figure Questions 402

## 12 Nervous Tissue 403

---

- 12.1** Overview of the Nervous System 404
- 12.2** Histology of Nervous Tissue 406
- 12.3** Electrical Signals in Neurons: An Overview 414
- 12.4** Resting Membrane Potential 418
- 12.5** Graded Potentials 420
- 12.6** Action Potentials 422
- 12.7** Signal Transmission at Synapses 428
- 12.8** Neurotransmitters 435
- 12.9** Neural Circuits 438
- 12.10** Regeneration and Repair of Nervous Tissue 440

Chapter Review 442 / Critical Thinking Questions 444 /  
Answers to Figure Questions 444

## 13 The Spinal Cord and Spinal Nerves 446

---

- 13.1** Spinal Cord Anatomy 447
- 13.2** Spinal Nerves 453
- 13.3** Cervical Plexus 456
- 13.4** Brachial Plexus 458
- 13.5** Lumbar Plexus 461
- 13.6** Sacral and Coccygeal Plexuses 463
- 13.7** Spinal Cord Physiology 465

Chapter Review 475 / Critical Thinking Questions 476 /  
Answers to Figure Questions 476

## 14 The Brain and Cranial Nerves 477

---

- 14.1** Brain Organization, Protection, and Blood Supply 478
- 14.2** Cerebrospinal Fluid 481
- 14.3** The Brainstem and Reticular Formation 486
- 14.4** The Cerebellum 491
- 14.5** The Diencephalon 493
- 14.6** The Cerebrum 496
- 14.7** Functional Organization of the Cerebral Cortex 501
- 14.8** Cranial Nerves: An Overview 506

- 14.9** Olfactory (I) Nerve 507
- 14.10** Optic (II) Nerve 508
- 14.11** Oculomotor (III), Trochlear (IV), and Abducens (VI) Nerves 509
- 14.12** Trigeminal (V) Nerve 511
- 14.13** Facial (VII) Nerve 512
- 14.14** Vestibulocochlear (VIII) Nerve 513
- 14.15** Glossopharyngeal (IX) Nerve 514
- 14.16** Vagus (X) Nerve 515
- 14.17** Accessory (XI) Nerve 516
- 14.18** Hypoglossal (XII) Nerve 517
- 14.19** Development of the Nervous System 519
- 14.20** Aging and the Nervous System 521

Chapter Review 523 / Critical Thinking Questions 525 /  
Answers to Figure Questions 525

## 15 The Autonomic Nervous System 526

---

- 15.1** Comparison of Somatic and Autonomic Nervous Systems 527
- 15.2** Anatomy of Autonomic Motor Pathways 529
- 15.3** ANS Neurotransmitters and Receptors 537
- 15.4** Physiology of the ANS 540
- 15.5** Integration and Control of Autonomic Functions 543

Chapter Review 546 / Critical Thinking Questions 546 /  
Answers to Figure Questions 547

## 16 Sensory, Motor, and Integrative Systems 548

---

- 16.1** Sensation 549
- 16.2** Somatic Sensations 552
- 16.3** Somatic Sensory Pathways 557
- 16.4** Control of Body Movement 562
- 16.5** Integrative Functions of the Cerebrum 569

Chapter Review 574 / Critical Thinking Questions 575 /  
Answers to Figure Questions 575

## 17 The Special Senses 576

---

- 17.1** Olfaction: Sense of Smell 577
- 17.2** Gustation: Sense of Taste 580
- 17.3** Vision: An Overview 584
- 17.4** Accessory Structures of the Eye 584
- 17.5** Anatomy of the Eyeball 587
- 17.6** Physiology of Vision 592
- 17.7** Hearing 601
- 17.8** Equilibrium 610

**17.9** Development of the Eyes and Ears **615**

**17.10** Aging and the Special Senses **617**

Chapter Review 619 / Critical Thinking Questions 620 /

Answers to Figure Questions 620

**18** The Endocrine System **622**

---

**18.1** Comparison of Control by the Nervous and Endocrine Systems **623**

**18.2** Endocrine Glands **623**

**18.3** Hormone Activity **624**

**18.4** Mechanisms of Hormone Action **626**

**18.5** Control of Hormone Secretion **629**

**18.6** Hypothalamus and Pituitary Gland **630**

**18.7** Thyroid Gland **639**

**18.8** Parathyroid Glands **643**

**18.9** Adrenal Glands **646**

**18.10** Pancreatic Islets **650**

**18.11** Ovaries and Testes **654**

**18.12** Pineal Gland and Thymus **654**

**18.13** Other Endocrine Tissues and Organs, Eicosanoids, and Growth Factors **655**

**18.14** The Stress Response **656**

**18.15** Development of the Endocrine System **658**

**18.16** Aging and the Endocrine System **660**

Chapter Review 665 / Critical Thinking Questions 667 /

Answers to Figure Questions 667

**19** The Cardiovascular System:  
The Blood **668**

---

**19.1** Functions and Properties of Blood **669**

**19.2** Formation of Blood Cells **672**

**19.3** Red Blood Cells **674**

**19.4** White Blood Cells **678**

**19.5** Platelets **681**

**19.6** Stem Cell Transplants from Bone Marrow and Cord Blood **683**

**19.7** Hemostasis **683**

**19.8** Blood Groups and Blood Types **687**

Chapter Review 693 / Critical Thinking Questions 694 /

Answers to Figure Questions 694

**20** The Cardiovascular System:  
The Heart **695**

---

**20.1** Anatomy of the Heart **696**

**20.2** Heart Valves and Circulation of Blood **703**

**20.3** Cardiac Muscle Tissue and the Cardiac Conduction System **709**

**20.4** The Cardiac Cycle **717**

**20.5** Cardiac Output **719**

**20.6** Exercise and the Heart **723**

**20.7** Help for Failing Hearts **724**

**20.8** Development of the Heart **726**

Chapter Review 734 / Critical Thinking Questions 735 /

Answers to Figure Questions 736

**21** The Cardiovascular System:  
Blood Vessels and Hemodynamics **737**

---

**21.1** Structure and Function of Blood Vessels **738**

**21.2** Capillary Exchange **746**

**21.3** Hemodynamics: Factors Affecting Blood Flow **749**

**21.4** Control of Blood Pressure and Blood Flow **752**

**21.5** Checking Circulation **756**

**21.6** Shock and Homeostasis **758**

**21.7** Circulatory Routes: Systemic Circulation **760**

**21.8** The Aorta and Its Branches **762**

**21.9** Ascending Aorta **765**

**21.10** The Arch of the Aorta **766**

**21.11** Thoracic Aorta **770**

**21.12** Abdominal Aorta **773**

**21.13** Arteries of the Pelvis and Lower Limbs **778**

**21.14** Veins of the Systemic Circulation **781**

**21.15** Veins of the Head and Neck **783**

**21.16** Veins of the Upper Limbs **785**

**21.17** Veins of the Thorax **789**

**21.18** Veins of the Abdomen and Pelvis **791**

**21.19** Veins of the Lower Limbs **793**

**21.20** Circulatory Routes: The Hepatic Portal Circulation **796**

**21.21** Circulatory Routes: The Pulmonary Circulation **797**

**21.22** Circulatory Routes: The Fetal Circulation **798**

**21.23** Development of Blood Vessels and Blood **801**

**21.24** Aging and the Cardiovascular System **802**

Chapter Review 805 / Critical Thinking Questions 807 /

Answers to Figure Questions 807

**22** The Lymphatic System  
and Immunity **808**

---

**22.1** The Concept of Immunity **809**

**22.2** Overview of the Lymphatic System **809**

**22.3** Lymphatic Vessels and Lymph Circulation **809**

**22.4** Lymphatic Organs and Tissues **814**

**22.5** Development of Lymphatic Tissues **819**

**22.6** Innate Immunity **820**

**22.7** Adaptive Immunity **825**

- 22.8** Cell-Mediated Immunity **830**
- 22.9** Antibody-Mediated Immunity **834**
- 22.10** Self-Recognition and Self-Tolerance **839**
- 22.11** Stress and Immunity **841**
- 22.12** Aging and the Immune System **841**

Chapter Review 846 / Critical Thinking Questions 848 /  
Answers to Figure Questions 848

## **23** The Respiratory System **850**

---

- 23.1** Overview of the Respiratory System **851**
- 23.2** The Upper Respiratory System **853**
- 23.3** The Lower Respiratory System **856**
- 23.4** Pulmonary Ventilation **869**
- 23.5** Lung Volumes and Capacities **874**
- 23.6** Exchange of Oxygen and Carbon Dioxide **875**
- 23.7** Transport of Oxygen and Carbon Dioxide **878**
- 23.8** Control of Breathing **884**
- 23.9** Exercise and the Respiratory System **888**
- 23.10** Development of the Respiratory System **889**
- 23.11** Aging and the Respiratory System **890**

Chapter Review 895 / Critical Thinking Questions 896 /  
Answers to Figure Questions 896

## **24** The Digestive System **898**

---

- 24.1** Overview of the Digestive System **899**
- 24.2** Layers of the GI Tract **900**
- 24.3** Neural Innervation of the GI Tract **902**
- 24.4** Peritoneum **903**
- 24.5** Mouth **905**
- 24.6** Pharynx **911**
- 24.7** Esophagus **912**
- 24.8** Deglutition **913**
- 24.9** Stomach **914**
- 24.10** Pancreas **920**
- 24.11** Liver and Gallbladder **922**
- 24.12** Small Intestine **927**
- 24.13** Large Intestine **937**
- 24.14** Phases of Digestion **943**
- 24.15** Development of the Digestive System **945**
- 24.16** Aging and the Digestive System **945**

Chapter Review 949 / Critical Thinking Questions 951 /  
Answers to Figure Questions 952

## **25** Metabolism and Nutrition **953**

---

- 25.1** Metabolic Reactions **954**
- 25.2** Energy Transfer **955**
- 25.3** Carbohydrate Metabolism **956**
- 25.4** Lipid Metabolism **966**
- 25.5** Protein Metabolism **969**
- 25.6** Key Molecules at Metabolic Crossroads **971**
- 25.7** Metabolic Adaptations **972**
- 25.8** Energy Balance **977**
- 25.9** Regulation of Body Temperature **980**
- 25.10** Nutrition **983**

Chapter Review 990 / Critical Thinking Questions 991 /  
Answers to Figure Questions 992

## **26** The Urinary System **993**

---

- 26.1** Overview of the Urinary System **994**
- 26.2** Anatomy of the Kidneys **995**
- 26.3** The Nephron **999**
- 26.4** Overview of Renal Physiology **1005**
- 26.5** Glomerular Filtration **1006**
- 26.6** Tubular Reabsorption and Tubular Secretion **1010**
- 26.7** Production of Dilute and Concentrated Urine **1018**
- 26.8** Evaluation of Kidney Function **1022**
- 26.9** Urine Transportation, Storage, and Elimination **1024**
- 26.10** Waste Management in Other Body Systems **1028**
- 26.11** Development of the Urinary System **1028**
- 26.12** Aging and the Urinary System **1030**

Chapter Review 1033 / Critical Thinking Questions 1035 /  
Answers to Figure Questions 1035

## **27** Fluid, Electrolyte, and Acid–Base Homeostasis **1036**

---

- 27.1** Fluid Compartments and Fluid Homeostasis **1037**
- 27.2** Electrolytes in Body Fluids **1042**
- 27.3** Acid–Base Balance **1046**
- 27.4** Aging and Fluid, Electrolyte, and Acid–Base Homeostasis **1051**

Chapter Review 1052 / Critical Thinking Questions 1053 /  
Answers to Figure Questions 1054

## **28** The Reproductive Systems **1055**

---

- 28.1** Male Reproductive System **1056**
- 28.2** Female Reproductive System **1070**

- 28.3** The Female Reproductive Cycle **1086**
- 28.4** The Human Sexual Response **1091**
- 28.5** Birth Control Methods and Abortion **1092**
- 28.6** Development of the Reproductive Systems **1095**
- 28.7** Aging and the Reproductive Systems **1097**

Chapter Review 1103 / Critical Thinking Questions 1105 /  
Answers to Figure Questions 1105

## **29** Development and Inheritance **1107**

---

- 29.1** Overview of Development **1108**
- 29.2** The First Two Weeks of the Embryonic Period **1108**
- 29.3** The Remaining Weeks of the Embryonic Period **1115**
- 29.4** Fetal Period **1124**


- 29.5** Teratogens **1126**
- 29.6** Prenatal Diagnostic Tests **1127**
- 29.7** Maternal Changes during Pregnancy **1129**
- 29.8** Exercise and Pregnancy **1132**
- 29.9** Labor **1132**
- 29.10** Adjustments of the Infant at Birth **1134**
- 29.11** The Physiology of Lactation **1135**
- 29.12** Inheritance **1136**

Chapter Review 1144 / Critical Thinking Questions 1145 /  
Answers to Figure Questions 1145

- APPENDIX A Measurements **A-1**
- APPENDIX B Periodic Table **B-3**
- APPENDIX C Normal Values for Selected Blood Tests **C-4**

GLOSSARY / INDEX





# An Introduction to the Human Body

## The Human Body and Homeostasis

Humans have many ways to maintain homeostasis, the state of relative stability of the body's internal environment. Disruptions to homeostasis often set in motion corrective cycles, called feedback systems, that help restore the conditions needed for health and life.

Our fascinating journey through the human body begins with an overview of the meanings of anatomy and physiology, followed by a discussion of the organization of the human body and the properties that it shares with all living things. Next, you will discover how the body regulates its own internal environment; this unceasing process, called homeostasis, is a major theme in every chapter of this book.

Finally, we introduce the basic vocabulary that will help you speak about the body in a way that is understood by scientists and health-care professionals alike.

**Q Did you ever wonder why an autopsy is performed?**

## 1.1 Anatomy and Physiology Defined

### OBJECTIVE

- **Define** anatomy and physiology, and name several branches of these sciences.

Two branches of science—**anatomy** and **physiology**—provide the foundation for understanding the body's parts and functions. **Anatomy** (a-NAT-ō-mē; *ana-* = up; *-tomy* = process of cutting) is the science of body *structures* and the relationships among them. It was first studied by **dissection** (dis-SEK-shun; *dis-* = apart; *-section* = act of cutting), the careful cutting apart of body structures to study their relationships. Today, a variety of imaging techniques (see **Table 1.3**) also contribute to the advancement of anatomical knowledge. Whereas anatomy deals with structures of the body, **physiology** (fiz'-ē-OL-ō-jē; *physio-* = nature; *-logy* = study of) is the science of body *functions*—how the body parts work. **Table 1.1** describes several branches of anatomy and physiology.

Because structure and function are so closely related, you will learn about the human body by studying its anatomy and physiology together. The structure of a part of the body often reflects its functions.

For example, the bones of the skull join tightly to form a rigid case that protects the brain. The bones of the fingers are more loosely joined to allow a variety of movements. The walls of the air sacs in the lungs are very thin, permitting rapid movement of inhaled oxygen into the blood.

### Checkpoint

1. What body function might a respiratory therapist strive to improve? What structures are involved?
2. Give your own example of how the structure of a part of the body is related to its function.

## 1.2 Levels of Structural Organization and Body Systems

### OBJECTIVES

- **Describe** the body's six levels of structural organization.
- **List** the 11 systems of the human body, representative organs present in each, and their general functions.

**TABLE 1.1** Selected Branches of Anatomy and Physiology

BRANCH OF ANATOMY	STUDY OF	BRANCH OF PHYSIOLOGY	STUDY OF
<b>Embryology</b> (em'-brē-OL-ō-jē; <i>embryo-</i> = embryo; <i>-logy</i> = study of)	The first eight weeks of development after fertilization of a human egg.	<b>Molecular physiology</b>	Functions of individual molecules such as proteins and DNA.
<b>Developmental biology</b>	The complete development of an individual from fertilization to death.	<b>Neurophysiology</b> (NOOR-ō-fiz-ē-ol'-ō-jē; <i>neuro-</i> = nerve)	Functional properties of nerve cells.
<b>Cell biology</b>	Cellular structure and functions.	<b>Endocrinology</b> (en'-dō-kri-NOL-ō-jē; <i>endo-</i> = within; <i>-crin</i> = secretion)	Hormones (chemical regulators in the blood) and how they control body functions.
<b>Histology</b> (his-TOL-ō-jē; <i>hist-</i> = tissue)	Microscopic structure of tissues.	<b>Cardiovascular physiology</b> (kar-dē-ō-VAS-kū-lar; <i>cardi-</i> = heart; <i>vascular</i> = blood vessels)	Functions of the heart and blood vessels.
<b>Gross anatomy</b>	Structures that can be examined without a microscope.	<b>Immunology</b> (im'-ū-NOL-ō-jē; <i>immun-</i> = not susceptible)	The body's defenses against disease-causing agents.
<b>Systemic anatomy</b>	Structure of specific systems of the body such as the nervous or respiratory systems.	<b>Respiratory physiology</b> (RES-pi-ra-tōr-ē; <i>respira-</i> = to breathe)	Functions of the air passageways and lungs.
<b>Regional anatomy</b>	Specific regions of the body such as the head or chest.	<b>Renal physiology</b> (RĒ-nal; <i>ren-</i> = kidney)	Functions of the kidneys.
<b>Surface anatomy</b>	Surface markings of the body to understand internal anatomy through visualization and palpation (gentle touch).	<b>Exercise physiology</b>	Changes in cell and organ functions due to muscular activity.
<b>Imaging anatomy</b>	Internal body structures that can be visualized with techniques such as x-rays, MRI, CT scans, and other technologies for clinical analysis and medical intervention.	<b>Pathophysiology</b> (Path-ō-fiz-ē-ol'-ō-jē)	Functional changes associated with disease and aging.
<b>Pathological anatomy</b> (path'-ō-LOJ-i-kal; <i>path-</i> = disease)	Structural changes (gross to microscopic) associated with disease.		


The levels of organization of a language—letters, words, sentences, paragraphs, and so on—can be compared to the levels of organization of the human body. Your exploration of the human body will extend from atoms and molecules to the whole person. From the smallest to the largest, six levels of organization will help you to understand anatomy and physiology: the chemical, cellular, tissue, organ, system, and organismal levels of organization (Figure 1.1).

- 1 Chemical level.** This very basic level can be compared to the *letters of the alphabet* and includes **atoms**, the smallest units

of matter that participate in chemical reactions, and **molecules**, two or more atoms joined together. Certain atoms, such as carbon (C), hydrogen (H), oxygen (O), nitrogen (N), phosphorus (P), calcium (Ca), and sulfur (S), are essential for maintaining life. Two familiar molecules found in the body are deoxyribonucleic acid (DNA), the genetic material passed from one generation to the next, and glucose, commonly known as blood sugar. Chapters 2 and 25 focus on the chemical level of organization.

**FIGURE 1.1** Levels of structural organization in the human body.

The levels of structural organization are chemical, cellular, tissue, organ, system, and organismal.



**Q** Which level of structural organization is composed of two or more different types of tissues that work together to perform a specific function?

- 2 Cellular level.** Molecules combine to form **cells**, the basic structural and functional units of an organism that are composed of chemicals. Just as *words* are the smallest elements of language that make sense, cells are the smallest living units in the human body. Among the many kinds of cells in your body are muscle cells, nerve cells, and epithelial cells. **Figure 1.1** shows a smooth muscle cell, one of the three types of muscle cells in the body. The cellular level of organization is the focus of Chapter 3.
- 3 Tissue level.** **Tissues** are groups of cells and the materials surrounding them that work together to perform a particular function, similar to the way words are put together to form *sentences*. There are just four basic types of tissues in your body: epithelial tissue, connective tissue, muscular tissue, and nervous tissue. *Epithelial tissue* covers body surfaces, lines hollow organs and cavities, and forms glands. *Connective tissue* connects, supports, and protects body organs while distributing blood vessels to other tissues. *Muscular tissue* contracts to make body parts move and generates heat. *Nervous tissue* carries information from one part of the body to another through nerve impulses. Chapter 4 describes the tissue level of organization in greater detail. Shown in **Figure 1.1** is smooth muscle tissue, which consists of tightly packed smooth muscle cells.
- 4 Organ level.** At the organ level, different types of tissues are joined together. Similar to the relationship between sentences and *paragraphs*, **organs** are structures that are composed of two or more different types of tissues; they have specific functions and usually have recognizable shapes. Examples of organs are the stomach, skin, bones, heart, liver, lungs, and brain. **Figure 1.1** shows how several tissues make up the stomach. The stomach's

outer covering is a layer of epithelial tissue and connective tissue that reduces friction when the stomach moves and rubs against other organs. Underneath are three layers of a type of muscular tissue called *smooth muscle tissue*, which contracts to churn and mix food and then push it into the next digestive organ, the small intestine. The innermost lining is an *epithelial tissue layer* that produces fluid and chemicals responsible for digestion in the stomach.

- 5 System (organ-system) level.** A **system** (or *chapter*, in our language analogy) consists of related organs (*paragraphs*) with a common function. An example of the system level, also called the *organ-system level*, is the digestive system, which breaks down and absorbs food. Its organs include the mouth, salivary glands, pharynx (throat), esophagus (food tube), stomach, small intestine, large intestine, liver, gallbladder, and pancreas. Sometimes an organ is part of more than one system. The pancreas, for example, is part of both the digestive system and the hormone-producing endocrine system.
- 6 Organismal level.** An **organism** (OR-ga-nizm), any living individual, can be compared to a *book* in our analogy. All the parts of the human body functioning together constitute the total organism.


In the chapters that follow, you will study the anatomy and physiology of the body systems. **Table 1.2** lists the components and introduces the functions of these systems. You will also discover that all body systems influence one another. As you study each of the body systems in more detail, you will discover how they work together to

**TABLE 1.2** The Eleven Systems of the Human Body

**INTEGUMENTARY SYSTEM (CHAPTER 5)**

**Components:** Skin and associated structures, such as **hair, fingernails** and **toenails, sweat glands**, and **oil glands**.


**Functions:** Protects body; helps regulate body temperature; eliminates some wastes; helps make vitamin D; detects sensations such as touch, pain, warmth, and cold; stores fat and provides insulation.



**SKELETAL SYSTEM (CHAPTERS 6–9)**

**Components:** **Bones** and **joints** of the body and their associated **cartilages**.

**Functions:** Supports and protects body; provides surface area for muscle attachments; aids body movements; houses cells that produce blood cells; stores minerals and lipids (fats).



maintain health, provide protection from disease, and allow for reproduction of the human species.

### Clinical Connection

#### Noninvasive Diagnostic Techniques

Health-care professionals and students of anatomy and physiology commonly use several noninvasive diagnostic techniques to assess certain aspects of body structure and function. A **noninvasive diagnostic technique** is one that does not involve insertion of an instrument or device through the skin or a body opening. In **inspection**, the examiner observes the body for any changes that deviate from normal. For example, a physician may examine the mouth cavity for evidence of disease. Following inspection, one or more additional techniques may be employed. In **palpation** (pal-PĀ-shun; *palp-* = gently touching) the examiner feels body surfaces with the hands. An example is palpating the abdomen to detect enlarged or tender internal organs or abnormal masses. In **auscultation** (aws-kul-TĀ-shun; *auscult-* = listening) the examiner listens to body sounds to evaluate the functioning of certain organs, often using a stethoscope to amplify the sounds. An example is auscultation of the lungs during breathing to check for crackling sounds associated with abnormal fluid accumulation. In **percussion** (pur-KUSH-un; *percus-* = beat through) the examiner taps on the body surface with the fingertips and listens to the resulting sound. Hollow cavities or spaces produce a different sound than solid organs. For example, percussion may reveal the abnormal presence of fluid in the lungs or air in the intestines. It may also provide information about the size, consistency, and position of an underlying structure. An understanding of anatomy is important for the effective application of most of these diagnostic techniques.

### Checkpoint

- Define the following terms: atom, molecule, cell, tissue, organ, system, and organism.
- At what levels of organization would an exercise physiologist study the human body? (*Hint: Refer to Table 1.1.*)
- Referring to Table 1.2, which body systems help eliminate wastes?

## 1.3 Characteristics of the Living Human Organism

### OBJECTIVE

- Define the important life processes of the human body.

### Basic Life Processes


Certain processes distinguish organisms, or living things, from nonliving things. Following are the six most important life processes of the human body:

- Metabolism** (me-TAB-ō-lizm) is the sum of all chemical processes that occur in the body. One phase of metabolism is **catabolism** (ka-TAB-ō-lizm; *catabol-* = throwing down; *-ism* = a condition), the

#### MUSCULAR SYSTEM (CHAPTERS 10, 11)

**Components:** Specifically, **skeletal muscle tissue**—muscle usually attached to bones (other muscle tissues include smooth and cardiac).

**Functions:** Participates in body movements, such as walking; maintains posture; produces heat.



#### NERVOUS SYSTEM (CHAPTERS 12–17)

**Components:** Brain, spinal cord, nerves, and special sense organs, such as **eyes** and **ears**.

**Functions:** Generates action potentials (nerve impulses) to regulate body activities; detects changes in body's internal and external environments, interprets changes, and responds by causing muscular contractions or glandular secretions.





Table 1.2 Continues

TABLE 1.2 The Eleven Systems of the Human Body (Continued)

## ENDOCRINE SYSTEM (CHAPTER 18)

**Components:** Hormone-producing glands (**pineal gland, hypothalamus, pituitary gland, thymus, thyroid gland, parathyroid glands, adrenal glands, pancreas, ovaries, and testes**) and hormone-producing cells in several other organs.


**Functions:** Regulates body activities by releasing hormones (chemical messengers transported in blood from endocrine gland or tissue to target organ).



## CARDIOVASCULAR SYSTEM (CHAPTERS 19–21)

**Components:** Blood, heart, and blood vessels.


**Functions:** Heart pumps blood through blood vessels; blood carries oxygen and nutrients to cells and carbon dioxide and wastes away from cells and helps regulate acid–base balance, temperature, and water content of body fluids; blood components help defend against disease and repair damaged blood vessels.



## LYMPHATIC SYSTEM AND IMMUNITY (CHAPTER 22)

**Components:** Lymphatic fluid and vessels; spleen, thymus, lymph nodes, and tonsils; cells that carry out immune responses (**B cells, T cells, and others**).


**Functions:** Returns proteins and fluid to blood; carries lipids from gastrointestinal tract to blood; contains sites of maturation and proliferation of B cells and T cells that protect against disease-causing microbes.



## RESPIRATORY SYSTEM (CHAPTER 23)

**Components:** Lungs and air passageways such as the **pharynx (throat), larynx (voice box), trachea (windpipe), and bronchial tubes** leading into and out of lungs.


**Functions:** Transfers oxygen from inhaled air to blood and carbon dioxide from blood to exhaled air; helps regulate acid–base balance of body fluids; air flowing out of lungs through vocal cords produces sounds.



## DIGESTIVE SYSTEM (CHAPTER 24)

**Components:** Organs of gastrointestinal tract, a long tube that includes the **mouth, pharynx (throat), esophagus (food tube), stomach, small and large intestines**, and **anus**; also includes accessory organs that assist in digestive processes, such as **salivary glands, liver, gallbladder, and pancreas**.


**Functions:** Achieves physical and chemical breakdown of food; absorbs nutrients; eliminates solid wastes.



## URINARY SYSTEM (CHAPTER 26)

**Components: Kidneys, ureters, urinary bladder, and urethra.**



**Functions:** Produces, stores, and eliminates urine; eliminates wastes and regulates volume and chemical composition of blood; helps maintain the acid-base balance of body fluids; maintains body's mineral balance; helps regulate production of red blood cells.



## REPRODUCTIVE SYSTEMS (CHAPTER 28)

**Components: Gonads (testes in males and ovaries in females) and associated organs (uterine tubes or fallopian tubes, uterus, vagina, and mammary glands in females and epididymis, ductus or (vas) deferens, seminal vesicles, prostate, and penis in males).**

**Functions:** Gonads produce gametes (sperm or oocytes) that unite to form a new organism; gonads also release hormones that regulate reproduction and other body processes; associated organs transport and store gametes; mammary glands produce milk



breakdown of complex chemical substances into simpler components. The other phase of metabolism is **anabolism** (a-NAB-ō-lizm; *anabol-* = a raising up), the building up of complex chemical substances from smaller, simpler components. For example, digestive processes catabolize (split) proteins in food into amino acids. These amino acids are then used to anabolize (build) new proteins that make up body structures such as muscles and bones.

**2. Responsiveness** is the body's ability to detect and respond to changes. For example, an increase in body temperature during

a fever represents a change in the internal environment (within the body), and turning your head toward the sound of squealing brakes is a response to a change in the external environment (outside the body) to prepare the body for a potential threat. Different cells in the body respond to environmental changes in characteristic ways. Nerve cells respond by generating electrical signals known as nerve impulses (action potentials). Muscle cells respond by contracting, which generates force to move body parts.

- 3. Movement** includes motion of the whole body, individual organs, single cells, and even tiny structures inside cells. For example, the coordinated action of leg muscles moves your whole body from one place to another when you walk or run. After you eat a meal that contains fats, your gallbladder contracts and releases bile into the gastrointestinal tract to help digest them. When a body tissue is damaged or infected, certain white blood cells move from the bloodstream into the affected tissue to help clean up and repair the area. Inside the cell, various parts, such as secretory vesicles (see [Figure 3.20](#)), move from one position to another to carry out their functions.
- 4. Growth** is an increase in body size that results from an increase in the size of existing cells, an increase in the number of cells, or both. In addition, a tissue sometimes increases in size because the amount of material between cells increases. In a growing bone, for example, mineral deposits accumulate between bone cells, causing the bone to grow in length and width.
- 5. Differentiation** (dif'-er-en-shē-Ā-shun) is the development of a cell from an unspecialized to a specialized state. Such precursor cells, which can divide and give rise to cells that undergo differentiation, are known as **stem cells**. As you will see later in the text, each type of cell in the body has a specialized structure or function that differs from that of its precursor (ancestor) cells. For example, red blood cells and several types of white blood cells all arise from the same unspecialized precursor cells in red bone marrow. Also through differentiation, a single fertilized human egg (ovum) develops into an embryo, and then into a fetus, an infant, a child, and finally an adult.
- 6. Reproduction** (rē-prō-DUK-shun) refers either to (1) the formation of new cells for tissue growth, repair, or replacement, or (2) the production of a new individual. The formation of new cells occurs through cell division. The production of a new individual occurs through the fertilization of an ovum by a sperm cell to form a zygote, followed by repeated cell divisions and the differentiation of these cells.

When any one of the life processes ceases to occur properly, the result is death of cells and tissues, which may lead to death of the organism. Clinically, loss of the heartbeat, absence of spontaneous breathing, and loss of brain functions indicate death in the human body.

### Clinical Connection

#### Autopsy

An **autopsy** (AW-top-sē = seeing with one's own eyes) or *necropsy* is a post-mortem (after death) examination of the body and dissection of its internal organs to confirm or determine the cause of death. An autopsy can uncover the existence of diseases not detected during life, determine the extent of injuries, and explain how those injuries may have contributed to a person's death. It also may provide more information about a disease, assist in the accumulation of statistical data, and educate health-care students. Moreover, an autopsy can reveal conditions that may affect offspring or siblings (such as congenital heart defects). Sometimes an autopsy is legally required, such as during a criminal investigation. It also may be useful in resolving disputes between beneficiaries and insurance companies about the cause of death.

### Checkpoint

- List the six most important life processes in the human body.

## 1.4 Homeostasis

### OBJECTIVES

- **Define** homeostasis.
- **Describe** the components of a feedback system.
- **Contrast** the operation of negative and positive feedback systems.
- **Explain** how homeostatic imbalances are related to disorders.

**Homeostasis** (hō'-mē-ō-STĀ-sis; *homeo-* = sameness; *-stasis* = standing still) is the maintenance of relatively stable conditions in the body's internal environment. It occurs because of the ceaseless interplay of the body's many regulatory systems. Homeostasis is a dynamic condition. In response to changing conditions, the body's parameters can shift among points in a narrow range that is compatible with maintaining life. For example, the level of glucose in blood normally stays between 70 and 110 milligrams of glucose per 100 milliliters of blood.\* Each structure, from the cellular level to the system level, contributes in some way to keeping the internal environment of the body within normal limits.

### Homeostasis and Body Fluids

An important aspect of homeostasis is maintaining the volume and composition of **body fluids**, dilute, watery solutions containing dissolved chemicals that are found inside cells as well as surrounding them (See [Figure 27.1](#)). The fluid within cells is **intracellular fluid** (*intra-* = inside), abbreviated *ICF*. The fluid outside body cells is **extracellular fluid** (*ECF*) (*extra-* = outside). The ECF that fills the narrow spaces between cells of tissues is known as **interstitial fluid** (in'-ter-STISH-al; *inter-* = between). As you progress with your studies, you will learn that the ECF differs depending on where it occurs in the body: ECF within blood vessels is termed **blood plasma**, within lymphatic vessels it is called **lymph**, in and around the brain and spinal cord it is known as **cerebrospinal fluid**, in joints it is referred to as **synovial fluid**, and the ECF of the eyes is called **aqueous humor** and **vitreous body**.

The proper functioning of body cells depends on precise regulation of the composition of their surrounding fluid. Because extracellular fluid surrounds the cells of the body, it serves as the body's *internal environment*. By contrast, the *external environment* of the body is the space that surrounds the entire body.


[Figure 1.2](#) is a simplified view of the body that shows how a number of organ systems allow substances to be exchanged between the external environment, internal environment, and body cells in order to

\*Appendix A describes metric measurements.



**FIGURE 1.2** A simplified view of exchanges between the external and internal environments. Note that the linings of the respiratory, digestive, and urinary systems are continuous with the external environment.

The internal environment of the body refers to the extracellular fluid (interstitial fluid and plasma) that surrounds body cells.



**Q How does a nutrient in the external environment reach a body cell?**

maintain homeostasis. Note that the integumentary system covers the outer surface of the body. Although this system does not play a major role in the exchange of materials, it protects the internal environment from damaging agents in the external environment. From the external environment, oxygen enters plasma through the respiratory system and nutrients enter plasma through the digestive system. After entering

plasma, these substances are transported throughout the body by the cardiovascular system. Oxygen and nutrients eventually leave plasma and enter interstitial fluid by crossing the walls of blood capillaries, the smallest blood vessels of the body. Blood capillaries are specialized to allow the transfer of material between plasma and interstitial fluid. From interstitial fluid, oxygen and nutrients are taken up by cells and

metabolized for energy. During this process, the cells produce waste products, which enter interstitial fluid and then move across blood capillary walls into plasma. The cardiovascular system transports these wastes to the appropriate organs for elimination from the body into the external environment. The waste product  $\text{CO}_2$  is removed from the body by the respiratory system; nitrogen-containing wastes, such as urea and ammonia, are eliminated from the body by the urinary system.

## Control of Homeostasis

Homeostasis in the human body is continually being disturbed. Some disruptions come from the external environment in the form of physical insults such as the intense heat of a hot summer day or a lack of enough oxygen for that two-mile run. Other disruptions originate in the internal environment, such as a blood glucose level that falls too low when you skip breakfast. Homeostatic imbalances may also occur due to psychological stresses in our social environment—the demands of work and school, for example. In most cases the disruption of homeostasis is mild and temporary, and the responses of body cells quickly restore balance in the internal environment. However, in some cases the disruption of homeostasis may be intense and prolonged, as in poisoning, overexposure to temperature extremes, severe infection, or major surgery.

Fortunately, the body has many regulating systems that can usually bring the internal environment back into balance. Most often, the nervous system and the endocrine system, working together or independently, provide the needed corrective measures. The nervous system regulates homeostasis by sending electrical signals known as *nerve impulses (action potentials)* to organs that can counteract changes from the balanced state. The endocrine system includes many glands that secrete messenger molecules called *hormones* into the blood. Nerve impulses typically cause rapid changes, but hormones usually work more slowly. Both means of regulation, however, work toward the same end, usually through negative feedback systems.

**Feedback Systems** The body can regulate its internal environment through many feedback systems. A **feedback system** or, *feedback loop*, is a cycle of events in which the status of a body condition is monitored, evaluated, changed, remonitored, reevaluated, and so on. Each monitored variable, such as body temperature, blood pressure, or blood glucose level, is termed a *controlled condition (controlled variable)*. Any disruption that changes a controlled condition is called a *stimulus*. A feedback system includes three basic components: a receptor, a control center, and an effector (Figure 1.3).

**1. A receptor** is a body structure that monitors changes in a controlled condition and sends input to a control center. This pathway is called an *afferent pathway* (AF-er-ent; *af-* = toward; *-ferrent* = carried), since the information flows *toward* the control center. Typically, the *input* is in the form of nerve impulses or chemical signals. For example, certain nerve endings in the skin sense temperature and can detect changes, such as a dramatic drop in temperature.

**2. A control center** in the body, for example, the brain, sets the narrow range or *set point* within which a controlled condition should be maintained, evaluates the input it receives from receptors, and generates output commands when they are needed. *Output* from the control center typically occurs as nerve impulses, or hormones


or other chemical signals. This pathway is called an *efferent pathway* (EF-er-ent; *ef-* = away from), since the information flows *away from* the control center. In our skin temperature example, the brain acts as the control center, receiving nerve impulses from the skin receptors and generating nerve impulses as output.

**3. An effector** (e-FEK-tor) is a body structure that receives output from the control center and produces a **response** or effect that changes the controlled condition. Nearly every organ or tissue in the body can behave as an effector. When your body temperature drops sharply, your brain (control center) sends nerve impulses (output) to your skeletal muscles (effectors). The result is shivering, which generates heat and raises your body temperature.

A group of receptors and effectors communicating with their control center forms a feedback system that can regulate a controlled condition in the body's internal environment. In a feedback system, the response of the system “feeds back” information to change the

**FIGURE 1.3** Operation of a feedback system.

The three basic components of a feedback system are the receptor, control center, and effector.



**Q** What is the main difference between negative and positive feedback systems?

controlled condition in some way, either negating it (negative feedback) or enhancing it (positive feedback).

**NEGATIVE FEEDBACK SYSTEMS** A **negative feedback system** reverses a change in a controlled condition. Consider the regulation of blood pressure. Blood pressure (BP) is the force exerted by blood as it presses against the walls of blood vessels. When the heart beats faster or harder, BP increases. If some internal or external stimulus causes blood pressure (controlled condition) to rise, the following sequence of events occurs (Figure 1.4). *Baroreceptors* (the receptors), pressure-sensitive nerve cells located in the walls of certain blood vessels, detect the higher pressure. The baroreceptors send nerve impulses (input) to the brain (control center), which interprets the impulses and responds by sending nerve impulses (output) to the heart and blood vessels (the effectors). Heart rate decreases and blood vessels dilate (widen), which cause BP to decrease (response). This sequence of events quickly returns the controlled condition—blood pressure—to normal, and homeostasis is restored. Notice that the activity of the effector causes BP to drop, a result that negates the original stimulus (an increase in BP). This is why it is called a negative feedback system.


**POSITIVE FEEDBACK SYSTEMS** Unlike a negative feedback system, a **positive feedback system** tends to *strengthen* or *reinforce* a change in one of the body's controlled conditions. In a positive feedback system, the response affects the controlled condition differently than in a negative feedback system. The control center still provides commands to an effector, but this time the effector produces a physiological response that adds to or *reinforces* the initial change in the controlled condition. The action of a positive feedback system continues until it is interrupted by some mechanism.

Normal childbirth provides a good example of a positive feedback system (Figure 1.5). The first contractions of labor (stimulus) push part of the fetus into the cervix, the lowest part of the uterus, which opens into the vagina. Stretch-sensitive nerve cells (receptors) monitor the amount of stretching of the cervix (controlled condition). As stretching increases, they send more nerve impulses (input) to the brain (control center), which in turn causes the pituitary gland to release the hormone oxytocin (output) into the blood. Oxytocin causes muscles in the wall of the uterus (effector) to contract even more forcefully. The contractions push the fetus farther down the uterus, which stretches the cervix even more. The cycle of stretching, hormone release, and ever-stronger contractions is interrupted only by the birth of the baby. Then, stretching of the cervix ceases and oxytocin is no longer released.

Another example of positive feedback is what happens to your body when you lose a great deal of blood. Under normal conditions, the heart pumps blood under sufficient pressure to body cells to provide them with oxygen and nutrients to maintain homeostasis. Upon severe blood loss, blood pressure drops and blood cells (including heart cells) receive less oxygen and function less efficiently. If the blood loss continues, heart cells become weaker, the pumping action of the heart decreases further, and blood pressure continues to fall. This is an example of a positive feedback cycle that has serious consequences and may even lead to death if there is no medical intervention. As you will see in Chapter 19, blood clotting is also an example of a positive feedback system.

These examples suggest some important differences between positive and negative feedback systems. Because a positive feedback


**FIGURE 1.4** Homeostatic regulation of blood pressure by a negative feedback system. The broken return arrow with a negative sign surrounded by a circle symbolizes negative feedback.



**Q** What would happen to heart rate if some stimulus caused blood pressure to decrease? Would this occur by way of positive or negative feedback?

**FIGURE 1.5 Positive feedback control of labor contractions during birth of a baby.** The broken return arrow with a positive sign surrounded by a circle symbolizes positive feedback.

If the response enhances or intensifies the stimulus, a system is operating by positive feedback.



system continually reinforces a change in a controlled condition, some event outside the system must shut it off. If the action of a positive feedback system is not stopped, it can “run away” and may even produce life-threatening conditions in the body. The action of a negative feedback system, by contrast, slows and then stops as the controlled condition returns to its normal state. Usually, positive feedback systems reinforce conditions that do not happen very often, and negative feedback systems regulate conditions in the body that remain fairly stable over long periods.

## Homeostatic Imbalances

You’ve seen homeostasis defined as a condition in which the body’s internal environment remains relatively stable. The body’s ability to maintain homeostasis gives it tremendous healing power and a remarkable resistance to abuse. The physiological processes responsible for maintaining homeostasis are in large part also responsible for your good health.

For most people, lifelong good health is not something that happens effortlessly. The many factors in this balance called health include the following:

- The environment and your own behavior.
- Your genetic makeup.
- The air you breathe, the food you eat, and even the thoughts you think.

The way you live your life can either support or interfere with your body’s ability to maintain homeostasis and recover from the inevitable stresses life throws your way.

Many diseases are the result of years of poor health behavior that interferes with the body’s natural drive to maintain homeostasis. An obvious example is smoking-related illness. Smoking tobacco exposes sensitive lung tissue to a multitude of chemicals that cause cancer and damage the lung’s ability to repair itself. Because diseases such as emphysema and lung cancer are difficult to treat and are very rarely cured, it is much wiser to quit smoking—or never start—than to hope a doctor can “fix” you once you are diagnosed with a lung disease. Developing a lifestyle that works with, rather than against, your body’s homeostatic processes helps you maximize your personal potential for optimal health and well-being.

As long as all of the body’s controlled conditions remain within certain narrow limits, body cells function efficiently, homeostasis is maintained, and the body stays healthy. Should one or more components of the body lose their ability to contribute to homeostasis, however, the normal balance among all of the body’s processes may be disturbed. If the homeostatic imbalance is moderate, a disorder or disease may occur; if it is severe, death may result.

A **disorder** is any abnormality of structure or function. **Disease** is a more specific term for an illness characterized by a recognizable set of signs and symptoms. A *local disease* affects one part or a limited region of the body (for example, a sinus infection); a *systemic disease* affects either the entire body or several parts of it (for example, influenza). Diseases alter body structures and functions in characteristic ways. A person with a disease may experience **symptoms**, *subjective* changes in body functions that are not apparent to an observer. Examples of symptoms are headache, nausea, and anxiety. *Objective*

**Q Why do positive feedback systems that are part of a normal physiological response include some mechanism that terminates the system?**

changes that a clinician can observe and measure are called **signs**. Signs of disease can be either anatomical, such as swelling or a rash, or physiological, such as fever, high blood pressure, or paralysis.

The science that deals with why, when, and where diseases occur and how they are transmitted among individuals in a community is known as **epidemiology** (ep'-i-dē-mē-OL-ō-jē; *epi-* = upon; *-demi* = people). **Pharmacology** (far'-ma-KOL-ō-jē; *pharmac-* = drug) is the science that deals with the effects and uses of drugs in the treatment of disease.

### Clinical Connection

#### Diagnosis of Disease

**Diagnosis** (dī-ag-NŌ-sis; *dia-* = through; *-gnosis* = knowledge) is the science and skill of distinguishing one disorder or disease from another. The patient's symptoms and signs, his or her medical history, a physical exam, and laboratory tests provide the basis for making a diagnosis. Taking a *medical history* consists of collecting information about events that might be related to a patient's illness. These include the chief complaint (primary reason for seeking medical attention), history of present illness, past medical problems, family medical problems, social history, and review of symptoms. A *physical examination* is an orderly evaluation of the body and its functions. This process includes the noninvasive techniques of inspection, palpation, auscultation, and percussion that you learned about earlier in the chapter, along with measurement of vital signs (temperature, pulse, respiratory rate, and blood pressure), and sometimes laboratory tests.

#### Checkpoint

7. Describe the locations of intracellular fluid, extracellular fluid, interstitial fluid, and blood plasma.
8. Why is extracellular fluid called the internal environment of the body?
9. What types of disturbances can act as stimuli that initiate a feedback system?
10. Define receptor, control center, and effector.
11. What is the difference between symptoms and signs of a disease? Give examples of each.

## 1.5 Basic Anatomical Terminology

### OBJECTIVES

- **Describe** the anatomical position.
- **Relate** the anatomical names and the corresponding common names for various regions of the human body.

- **Define** the anatomical planes, anatomical sections, and directional terms used to describe the human body.
- **Outline** the major body cavities, the organs they contain, and their associated linings.

Scientists and health-care professionals use a common language of special terms when referring to body structures and their functions. The language of anatomy they use has precisely defined meanings that allow us to communicate clearly and precisely. For example, is it correct to say, “The wrist is above the fingers”? This might be true if your upper limbs (described shortly) are at your sides. But if you hold your hands up above your head, your fingers would be above your wrists. To prevent this kind of confusion, anatomists use a standard anatomical position and a special vocabulary for relating body parts to one another.

### Body Positions

Descriptions of any region or part of the human body assume that it is in a standard position of reference called the **anatomical position** (an'-a-TOM-i-kal). In the anatomical position, the subject stands erect facing the observer, with the head level and the eyes facing directly forward. The lower limbs are parallel and the feet are flat on the floor and directed forward, and the upper limbs are at the sides with the palms turned forward (**Figure 1.6**). Two terms describe a reclining body. If the body is lying facedown, it is in the **prone** position. If the body is lying faceup, it is in the **supine** position.


### Regional Names

The human body is divided into several major regions that can be identified externally. The principal regions are the head, neck, trunk, upper limbs, and lower limbs (**Figure 1.6**). The **head** consists of the skull and face. The *skull* encloses and protects the brain; the *face* is the front portion of the head that includes the eyes, nose, mouth, forehead, cheeks, and chin. The **neck** supports the head and attaches it to the trunk. The **trunk** consists of the chest, abdomen, and pelvis. Each **upper limb** attaches to the trunk and consists of the shoulder, armpit, arm (portion of the limb from the shoulder to the elbow), forearm (portion of the limb from the elbow to the wrist), wrist, and hand. Each **lower limb** also attaches to the trunk and consists of the buttock, thigh (portion of the limb from the buttock to the knee), leg (portion of the limb from the knee to the ankle), ankle, and foot. The *groin* is the area on the front surface of the body marked by a crease on each side, where the trunk attaches to the thighs.

**Figure 1.6** shows the anatomical and common names of major parts of the body. For example, if you receive a tetanus shot in your *gluteal region*, the injection is in your *buttock*. Because the anatomical term for a body part usually is based on a Greek or Latin word,

**FIGURE 1.6 The anatomical position.** The anatomical names and corresponding common names (in parentheses) are indicated for specific body regions. For example, the cephalic region is the head.

In the anatomical position, the subject stands erect facing the observer with the head level and the eyes facing forward. The lower limbs are parallel and the feet are flat on the floor and directed forward, and the upper limbs are at the sides with the palms facing forward.



**Q What is the usefulness of defining one standard anatomical position?**

it may look different from the common name for the same part or area. For example, the Latin word *axilla* (ak-SIL-a) is the anatomical term for armpit. Thus, the axillary nerve is one of the nerves passing within the armpit. You will learn more about the Greek and Latin word roots of anatomical and physiological terms as you read this book.

**Directional Terms**

To locate various body structures, anatomists use specific **directional terms**, words that describe the position of one body part relative to another. Several directional terms are grouped in pairs that have opposite meanings, such as anterior (front) and posterior (back). **Exhibit 1** and **Figure 1.7** present the main directional terms.

## EXHIBIT 1 Directional Terms (Figure 1.7)

### OBJECTIVE

- **Define** each directional term used to describe the human body.

example, your knee is superior to your ankle, even though both are located in the inferior half of the body. Study the directional terms below and the example of how each is used. As you read the examples, look at [Figure 1.7](#) to see the location of each structure.

### Overview

Most of the directional terms used to describe the relationship of one part of the body to another can be grouped into pairs that have opposite meanings. For example, **superior** means toward the upper part of the body, and **inferior** means toward the lower part of the body. It is important to understand that directional terms have relative meanings; they make sense only when used to describe the position of one structure relative to another. For

### Checkpoint


- 12.** Which directional terms can be used to specify the relationships between (1) the elbow and the shoulder, (2) the left and right shoulders, (3) the sternum and the humerus, and (4) the heart and the diaphragm?

DIRECTIONAL TERM	DEFINITION	EXAMPLE OF USE
<b>Superior</b> (soo'-PĒR-ē-or) ( <i>cephalic</i> or <i>cranial</i> )	Toward the head, or the upper part of a structure.	The heart is superior to the liver.
<b>Inferior</b> (in-FĒ-rē-or) ( <i>caudal</i> )	Away from the head, or the lower part of a structure.	The stomach is inferior to the lungs.
<b>Anterior</b> (an-TĒR-ē-or) ( <i>ventral</i> )*	Nearer to or at the front of the body.	The sternum (breastbone) is anterior to the heart.
<b>Posterior</b> (pos-TĒR-ē-or) ( <i>dorsal</i> )	Nearer to or at the back of the body.	The esophagus (food tube) is posterior to the trachea (windpipe).
<b>Medial</b> (MĒ-dē-al)	Nearer to the midline (an imaginary vertical line that divides the body into equal right and left sides).	The ulna is medial to the radius.
<b>Lateral</b> (LAT-er-al)	Farther from the midline.	The lungs are lateral to the heart.
<b>Intermediate</b> (in'-ter-MĒ-dē-at)	Between two structures.	The transverse colon is intermediate to the ascending and descending colons.
<b>Ipsilateral</b> (ip-si-LAT-er-al)	On the same side of the body as another structure.	The gallbladder and ascending colon are ipsilateral.
<b>Contralateral</b> (KON-tra-lat-er-al)	On the opposite side of the body from another structure.	The ascending and descending colons are contralateral.
<b>Proximal</b> (PROK-si-mal)	Nearer to the attachment of a limb to the trunk; nearer to the origination of a structure.	The humerus (arm bone) is proximal to the radius.
<b>Distal</b> (DIS-tal)	Farther from the attachment of a limb to the trunk; farther from the origination of a structure.	The phalanges (finger bones) are distal to the carpals (wrist bones).
<b>Superficial</b> (soo'-per-FISH-al) ( <i>external</i> )	Toward or on the surface of the body.	The ribs are superficial to the lungs.
<b>Deep</b> ( <i>Internal</i> )	Away from the surface of the body.	The ribs are deep to the skin of the chest and back.

\*Note that the terms *anterior* and *ventral* mean the same thing in humans. However, in four-legged animals *ventral* refers to the belly side and is therefore *inferior*. Similarly, the terms *posterior* and *dorsal* mean the same thing in humans, but in four-legged animals *dorsal* refers to the back side and is therefore *superior*.

**FIGURE 1.7** Directional terms.

Directional terms precisely locate various parts of the body relative to one another.



**Q** Is the radius proximal to the humerus? Is the esophagus anterior to the trachea? Are the ribs superficial to the lungs? Is the urinary bladder medial to the ascending colon? Is the sternum lateral to the descending colon?

## Planes and Sections

You will also study parts of the body relative to **planes**, imaginary flat surfaces that pass through the body parts (Figure 1.8). A **sagittal plane** (SAJ-i-tal; *sagitt-* = arrow) is a vertical plane that divides the


body or an organ into right and left sides. More specifically, when such a plane passes through the midline of the body or an organ and divides it into *equal* right and left sides, it is called a **midsagittal plane** or a *median plane*. The **midline** is an imaginary vertical line that divides the body into equal left and right sides. If the sagittal



plane does not pass through the midline but instead divides the body or an organ into *unequal* right and left sides, it is called a **parasagittal plane** (*para-* = near). A **frontal** or **coronal plane** (*kō-RŌ-nal*; *corona* = crown) divides the body or an organ into anterior (front) and posterior (back) portions. A **transverse plane** divides the body or an organ into superior (upper) and inferior (lower) portions. Other names for a transverse plane are a *cross-sectional* or *horizontal plane*. Sagittal, frontal, and transverse planes are all at right angles to one another. An **oblique plane** (*ō-BLĒK*), by contrast, passes through the body or an organ at an oblique angle (any angle other than a 90-degree angle).

**FIGURE 1.8** Planes through the human body.

Frontal, transverse, sagittal, and oblique planes divide the body in specific ways.




**Q** Which plane divides the heart into anterior and posterior portions?

When you study a body region, you often view it in section. A **section** is a cut of the body or one of its organs made along one of the planes just described. It is important to know the plane of the section so you can understand the anatomical relationship of one part to another. **Figure 1.9a–c** indicates how three different sections—*midsagittal*, *frontal*, and *transverse*—provide different views of the brain.

**FIGURE 1.9** Planes and sections through different parts of the brain. The diagrams (left) show the planes, and the photographs (right) show the resulting sections. Note: The “view” arrows in the diagrams indicate the direction from which each section is viewed. This aid is used throughout the book to indicate viewing perspectives.

Planes divide the body in various ways to produce sections.



**Q** Which plane divides the brain into unequal right and left portions?

## Body Cavities

**Body cavities** are spaces that enclose internal organs. Bones, muscles, ligaments, and other structures separate the various body cavities from one another. Here we discuss several body cavities (**Figure 1.10**).


The cranial bones form a hollow space of the head called the **cranial cavity** (KRĀ-nē-al), which contains the brain. The bones of the vertebral column (backbone) form the **vertebral (spinal) canal** (VER-te-bral), which contains the spinal cord. The cranial cavity and vertebral canal are continuous with one another. Three layers of protective tissue, the **meninges** (me-NIN-jēz), and a shock-absorbing fluid surround the brain and spinal cord.

The major body cavities of the trunk are the thoracic and abdominopelvic cavities. The **thoracic cavity** (thor-AS-ik; *thorac-* = chest) or chest cavity (**Figure 1.11**) is formed by the ribs, the muscles of the chest, the sternum (breastbone), and the thoracic portion of the

vertebral column. Within the thoracic cavity are the **pericardial cavity** (per'-i-KAR-dē-al; *peri-* = around; *-cardial* = heart), a fluid-filled space that surrounds the heart, and two fluid-filled spaces called **pleural cavities** (PLOOR-al; *pleur-* = rib or side), one around each lung. The central part of the thoracic cavity is an anatomical region called the **mediastinum** (mē'-dē-as-TĪ-num; *media-* = middle; *-stinum* = partition). It is between the lungs, extending from the sternum to the vertebral column and from the first rib to the diaphragm (**Figure 1.11a, b**). The mediastinum contains all thoracic organs except the lungs themselves. Among the structures in the mediastinum are the heart, esophagus, trachea, thymus, and several large blood vessels that enter and exit the heart. The **diaphragm** (DĪ-a-frag = partition or wall) is a dome-shaped muscle that separates the thoracic cavity from the abdominopelvic cavity.

The **abdominopelvic cavity** (ab-dom'-i-nō-PEL-vik; see **Figure 1.10**) extends from the diaphragm to the groin and is encircled by the

**FIGURE 1.10** **Body cavities.** The black dashed line in (a) indicates the border between the abdominal and pelvic cavities.




\*See **Figure 1.11** for details of the thoracic cavity.

**Q** In which cavities are the following organs located: urinary bladder, stomach, heart, small intestine, lungs, internal female reproductive organs, thymus, spleen, liver? Use the following symbols for your responses: T = thoracic cavity, A = abdominal cavity, or P = pelvic cavity.


**FIGURE 1.11 The thoracic cavity.** The black dashed lines indicate the borders of the mediastinum.

Note: When transverse sections are viewed inferiorly (from below), the anterior aspect of the body appears on top and the left side of the body appears on the right side of the illustration.

The thoracic cavity contains three smaller cavities and the mediastinum.



(a) Anterior view of thoracic cavity



(b) Inferior view of transverse section of thoracic cavity


**Q What is the name of the cavity that surrounds the heart? Which cavities surround the lungs?**

abdominal muscular wall and the bones and muscles of the pelvis. As the name suggests, the abdominopelvic cavity is divided into two portions, even though no wall separates them (Figure 1.12). The superior portion, the **abdominal cavity** (ab-DOM-i-nal; *abdomin-* = belly), contains the stomach, spleen, liver, gallbladder, small

intestine, and most of the large intestine. The inferior portion, the **pelvic cavity** (PEL-vik; *pelv-* = basin), contains the urinary bladder, portions of the large intestine, and internal organs of the reproductive system. Organs inside the thoracic and abdominopelvic cavities are called **viscera** (VIS-er-a).

**FIGURE 1.12 The abdominopelvic cavity.** The black dashed lower line shows the approximate boundary between the abdominal and pelvic cavities.

The abdominopelvic cavity extends from the diaphragm to the groin.



**Q** To which body systems do the organs shown here within the abdominal and pelvic cavities belong? (*Hint: Refer to Table 1.2.*)

**Thoracic and Abdominal Cavity Membranes** A **membrane** is a thin, pliable tissue that covers, lines, partitions, or connects structures. One example is a slippery, double-layered membrane associated with body cavities that does not open directly to the exterior called a **serous membrane** (SĒR-us). It covers the viscera within the thoracic and abdominal cavities and also lines the walls of the thorax and abdomen. The parts of a serous membrane are (1) the *parietal layer* (pa-RĪ-e-tal), a thin epithelium that lines the walls of the cavities, and (2) the *visceral layer* (VIS-er-al), a thin epithelium that covers and adheres to the viscera within the cavities. Between the two layers is a potential space that contains a small amount of lubricating fluid (*serous fluid*). The fluid allows the viscera to slide somewhat during movements, such as when the lungs inflate and deflate during breathing.

The serous membrane of the pleural cavities is called the **pleura** (PLOO-ra). The *visceral pleura* clings to the surface of the lungs, and the *parietal pleura* lines the chest wall, covering the superior surface of the diaphragm (see [Figure 1.11a](#)). In between is the *pleural cavity*, filled with a small amount of lubricating serous fluid (see [Figure 1.11](#)). The serous membrane of the pericardial cavity is the **pericardium**

(per'-i-KAR-dē-um). The *visceral pericardium* covers the surface of the heart; the *parietal pericardium* lines the chest wall. Between them is the *pericardial cavity*, filled with a small amount of lubricating serous fluid (see [Figure 1.11](#)). The **peritoneum** (per'-i-tō-NĒ-um) is the serous membrane of the abdominal cavity. The *visceral peritoneum* covers the abdominal viscera, and the *parietal peritoneum* lines the abdominal wall, covering the inferior surface of the diaphragm. Between them is the *peritoneal cavity*, which contains a small amount of lubricating serous fluid. Most abdominal organs are surrounded by the peritoneum. Some are not surrounded by the peritoneum; instead they are posterior to it. Such organs are said to be *retroperitoneal* (re'-trō-per-i-tō-NĒ-al; *retro-* = behind). The kidneys, adrenal glands, pancreas, duodenum of the small intestine, ascending and descending colons of the large intestine, and portions of the abdominal aorta and inferior vena cava are retroperitoneal.

In addition to the major body cavities just described, you will also learn about other body cavities in later chapters. These include the *oral (mouth) cavity*, which contains the tongue and teeth (see [Figure 24.5](#)); the *nasal cavity* in the nose (see [Figure 23.1](#)); the *orbital cavities (orbits)*, which contain the eyeballs (see [Figure 7.3](#)); the *middle ear cavities (middle ears)*, which contain small bones (see [Figure 17.19](#)); and the *synovial cavities*, which are found in freely movable joints and contain synovial fluid (see [Figure 9.3](#)).

A summary of the major body cavities and their membranes is presented in the table included in [Figure 1.10](#).


## Abdominopelvic Regions and Quadrants

To describe the location of the many abdominal and pelvic organs more easily, anatomists and clinicians use two methods of dividing the abdominopelvic cavity into smaller areas. In the first method, two horizontal and two vertical lines, aligned like a tic-tac-toe grid, partition this cavity into nine **abdominopelvic regions** ([Figure 1.13a](#)). The superior horizontal line, the *subcostal line* (*sub* = below; *costal* = rib), passes across the lowest level of the 10<sup>th</sup> costal cartilages (see also [Figure 7.22b](#)); the inferior horizontal line, the *transumbilical line* (trans-too-BER-kū-lar), passes across the superior margins of the iliac crests of the right and left hip bone (see [Figure 8.9](#)). Two vertical lines, the left and right *midclavicular lines* (mid-kla-VIK-ū-lar), are drawn through the midpoints of the clavicles (collar bones), just medial to the nipples. The four lines divide the abdominopelvic cavity into a larger middle section and smaller left and right sections. The names of the nine abdominopelvic regions are **right hypochondriac** (hī'-pō-KON-drē-ak), **epigastric** (ep-i-GAS-trik), **left hypochondriac**, **right lumbar**, **umbilical** (um-BIL-i-kal), **left lumbar**, **right inguinal (iliac)** (IN-gwi-nal), **hypogastric (pubic)**, and **left inguinal (iliac)**.

The second method is simpler and divides the abdominopelvic cavity into **quadrants** (KWOD-rantz; *quad-* = one-fourth), as shown in [Figure 1.13b](#). In this method, a midsagittal line (the *median line*) and a transverse line (the *transumbilical line*) are passed through the **umbilicus** (um-BI-li-kus; *umbilic-* = navel) or *belly button*. The names of the abdominopelvic quadrants are **right upper quadrant (RUQ)**, **left upper quadrant (LUQ)**, **right lower quadrant (RLQ)**, and **left lower quadrant (LLQ)**. The nine-region division is more widely used for anatomical studies, and quadrants are more commonly used by clinicians for describing the site of abdominopelvic pain, a tumor, or another abnormality.

**FIGURE 1.13** Regions and quadrants of the abdominopelvic cavity.

The nine-region designation is used for anatomical studies; the quadrant designation is used to locate the site of pain, tumors, or some other abnormality.



(a) Anterior view showing location of abdominopelvic regions

(b) Anterior view showing location of abdominopelvic quadrants

**Q** In which abdominopelvic region is each of the following found: most of the liver, ascending colon, urinary bladder, and most of the small intestine? In which abdominopelvic quadrant would pain from appendicitis (inflammation of the appendix) be felt?

### Checkpoint

13. Locate each region shown in [Figure 1.6](#) on your own body, and then identify it by its anatomical name and the corresponding common name.
14. What structures separate the various body cavities from one another?
15. Locate the nine abdominopelvic regions and the four abdominopelvic quadrants on yourself, and list some of the organs found in each.

## 1.6 Aging and Homeostasis

### OBJECTIVE

- **Describe** some of the general anatomical and physiological changes that occur with aging.

As you will see later, **aging** is a normal process characterized by a progressive decline in the body's ability to restore homeostasis. Aging produces observable changes in structure and function and increases vulnerability to stress and disease. The changes associated with aging are apparent in all body systems. Examples include wrinkled skin, gray hair, loss of bone mass, decreased muscle mass and strength, diminished reflexes, decreased production of some hormones, increased incidence of heart disease, increased susceptibility to infections and cancer, decreased lung capacity, less efficient functioning of the digestive system, decreased kidney function, menopause, and enlarged prostate. These and other effects of aging will be discussed in details in later chapters.

### Checkpoint

16. What are some of the signs of aging?

## 1.7 Medical Imaging

### OBJECTIVE

- **Describe** the principles and importance of medical imaging procedures in the evaluation of organ functions and the diagnosis of disease.

**Medical imaging** refers to techniques and procedures used to create images of the human body. Various types of medical imaging allow visualization of structures inside our bodies and are increasingly helpful for precise diagnosis of a wide range of anatomical and physiological disorders. The grandparent of all medical imaging techniques is conventional radiography (x-rays), in medical use since the late 1940s. The newer imaging technologies not only contribute to diagnosis of disease, but they also are advancing our understanding of normal anatomy and physiology. **Table 1.3** describes some commonly used medical imaging techniques. Other imaging methods, such as cardiac catheterization, will be discussed in later chapters.

**TABLE 1.3** Common Medical Imaging Procedures


#### RADIOGRAPHY

**Procedure:** A single barrage of x-rays passes through the body, producing an image of interior structures on x-ray-sensitive film. The resulting two-dimensional image is a *radiograph* (RĀ-dē-ō-graf'), commonly called an x-ray.

**Comments:** Relatively inexpensive, quick, and simple to perform; usually provides sufficient information for diagnosis. X-rays do not easily pass through dense structures, so bones appear white. Hollow structures, such as the lungs, appear black. Structures of intermediate density, such as skin, fat, and muscle, appear as varying shades of gray. At low doses, x-rays are useful for examining soft tissues such as the breast


(**mammography**) and for determining bone density (**bone densitometry** or **DEXA scan**).

It is necessary to use a substance called a contrast medium to make hollow or fluid-filled structures visible (appear white) in radiographs. X-rays make structures that contain contrast media appear white. The medium may be introduced by injection, orally, or rectally, depending on the structure to be imaged. Contrast x-rays are used to image blood vessels (**angiography**), the urinary system (**intravenous urography**), and the gastrointestinal tract (**barium contrast x-ray**).



Warwick G./Science Source

Radiograph of thorax in anterior view




Breast Cancer Unit, Kings College Hospital, London/Science Source

Mammogram of female breast showing cancerous tumor (white mass with uneven border)




Zephyr/Photo Researchers, Inc.

Bone densitometry scan of lumbar spine in anterior view



Cardio-Thoracic Centre, Freeman Hospital, Newcastle-Upon-Tyne/Science Source

Angiogram of adult human heart showing blockage in coronary artery (arrow)



CNRI/SPL/Science Source

Intravenous urogram showing kidney stone (arrow) in right kidney




Science Photo Library/Science Source

Barium contrast x-ray showing cancer of the ascending colon (arrow)

## MAGNETIC RESONANCE IMAGING (MRI)

**Procedure:** The body is exposed to a high-energy magnetic field, which causes protons (small positive particles within atoms, such as hydrogen) in body fluids and tissues to arrange themselves in relation to the field. Then a pulse of radio waves “reads” these ion patterns, and a color-coded image is assembled on a video monitor. The result is a two- or three-dimensional blueprint of cellular chemistry.

**Comments:** Relatively safe but cannot be used on patients with metal in their bodies. Shows fine details for soft tissues but not for bones. Most useful for differentiating between normal and abnormal tissues. Used to detect tumors and artery-clogging fatty plaques; reveal brain abnormalities; measure blood flow; and detect a variety of musculoskeletal, liver, and kidney disorders.



Scott Camazine/Science Source


Magnetic resonance image of brain in sagittal section

## COMPUTED TOMOGRAPHY (CT)

[formerly called computerized axial tomography (CAT) scanning]

**Procedure:** In this form of computer-assisted radiography, an x-ray beam traces an arc at multiple angles around a section of the body. The resulting transverse section of the body, called a *CT scan*, is shown on a video monitor.

**Comments:** Visualizes soft tissues and organs with much more detail than conventional radiographs. Differing tissue densities show up as various shades of gray. Multiple scans can be assembled to build three-dimensional views of structures (described next). Whole-body CT scanning typically targets the torso and appears to provide the most benefit in screening for lung cancers, coronary artery disease, and kidney cancers.




Scott Camazine/Science Source

Computed tomography scan of thorax in inferior view

## ULTRASOUND SCANNING

**Procedure:** High-frequency sound waves produced by a handheld wand reflect off body tissues and are detected by the same instrument. The image, which may be still or moving, is called a *sonogram* (SON-ō-gram) and is shown on a video monitor.

**Comments:** Safe, noninvasive, painless, and uses no dyes. Most commonly used to visualize the fetus during pregnancy. Also used to observe the size, location, and actions of organs and blood flow through blood vessels (**Doppler ultrasound**).




Sonogram of fetus (Courtesy of Andrew Joseph Tortora and Damaris Soler)

TABLE 1.3 Common Medical Imaging Procedures (Continued)

## CORONARY (CARDIAC) COMPUTED TOMOGRAPHY ANGIOGRAPHY (CCTA) SCAN

**Procedure:** In this form of computer-assisted radiography, an iodine-containing contrast medium is injected into a vein and a beta blocker is given to decrease heart rate. Then, numerous x-ray beams trace an arc around the heart and a scanner detects the x-ray beams and transmits them to a computer, which transforms the information into a three-dimensional image of the coronary blood vessels on a monitor. The image produced is called a *CCTA scan* and can be generated in less than 20 seconds.

**Comments:** Used primarily to determine if there are any coronary artery blockages (for example, atherosclerotic plaque or calcium) that may require an intervention such as angioplasty or stent. The CCTA scan can be rotated, enlarged, and moved at any angle. The procedure can take thousands of images of the heart within the time of a single heartbeat, so it provides a great amount of detail about the heart's structure and function.



ISM/Phototake


CCTA scan of coronary arteries

## POSITRON EMISSION TOMOGRAPHY (PET)

**Procedure:** A substance that emits positrons (positively charged particles) is injected into the body, where it is taken up by tissues. The collision of positrons with negatively charged electrons in body tissues produces gamma rays (similar to x-rays) that are detected by gamma cameras positioned around the subject. A computer receives signals from the gamma cameras and constructs a *PET scan* image, displayed in color on a video monitor. The PET scan shows where the injected substance is being used in the body. In the PET scan image shown here, the black and blue colors indicate minimal activity; the red, orange, yellow, and white colors indicate areas of increasingly greater activity.

**Comments:** Used to study the physiology of body structures, such as metabolism in the brain or heart.

ANTERIOR

Department of Nuclear Medicine, Charing Cross Hospital  
/Photo Researchers, Inc


POSTERIOR

Positron emission tomography scan of transverse section of brain (circled area at upper left indicates where a stroke has occurred)

## ENDOSCOPY

**Procedure:** Endoscopy involves the visual examination of the inside of body organs or cavities using a lighted instrument with lenses called an *endoscope*. The image is viewed through an eyepiece on the endoscope or projected onto a monitor.

**Comments:** Examples include *colonoscopy* (used to examine the interior of the colon, which is part of the large intestine), *laparoscopy* (used to examine the organs within the abdominopelvic cavity), and *arthroscopy* (used to examine the interior of a joint, usually the knee).



©Camal/Phototake


Interior view of colon as shown by colonoscopy



## RADIONUCLIDE SCANNING


**Procedure:** A *radionuclide* (radioactive substance) is introduced intravenously into the body and carried by the blood to the tissue to be imaged. Gamma rays emitted by the radionuclide are detected by a gamma camera outside the subject, and the data are fed into a computer. The computer constructs a *radionuclide image* and displays it in color on a video monitor. Areas of intense color take up a lot of the radionuclide and represent high tissue activity; areas of less intense color take up smaller amounts of the radionuclide and represent low tissue activity. **Single-photon-emission computed tomography (SPECT) scanning** is a specialized type of radionuclide scanning that is especially useful for studying the brain, heart, lungs, and liver.

**Comments:** Used to study activity of a tissue or organ, such as searching for malignant tumors in body tissue or scars that may interfere with heart muscle activity.



Publiphoto/Science Source

Radionuclide (nuclear) scan of normal human liver



Dept. of Nuclear Medicine, Charing Cross Hospital/Science Source

Single-photon-emission computed tomography (SPECT) scan of transverse section of the brain (the almost all green area at lower left indicates migraine attack)

### Checkpoint

17. Which forms of medical imaging would be used to show a blockage in an artery of the heart?
18. Of the medical imaging techniques outlined in [Table 1.3](#), which one best reveals the physiology of a structure?
19. Which medical imaging technique would you use to determine whether a bone was broken?

## Chapter Review

### Review

#### 1.1 Anatomy and Physiology Defined

1. Anatomy is the science of body structures and the relationships among structures; physiology is the science of body functions.
2. Dissection is the careful cutting apart of body structures to study their relationships.
3. Some branches of anatomy are embryology, developmental biology, cell biology, histology, gross anatomy, systemic anatomy, regional anatomy, surface anatomy, radiographic anatomy, and pathological anatomy (see [Table 1.1](#)).
4. Some branches of physiology are molecular physiology, neurophysiology, endocrinology, cardiovascular physiology, immunology, respiratory physiology, renal physiology, exercise physiology, and pathophysiology (see [Table 1.1](#)).

#### 1.2 Levels of Structural Organization and Body Systems

1. The human body consists of six levels of structural organization: chemical, cellular, tissue, organ, system, and organismal.
2. Cells are the basic structural and functional living units of an organism and are the smallest living units in the human body.
3. Tissues are groups of cells and the materials surrounding them that work together to perform a particular function.

4. Organs are composed of two or more different types of tissues; they have specific functions and usually have recognizable shapes.
5. Systems consist of related organs that have a common function.
6. An organism is any living individual.
7. [Table 1.2](#) introduces the 11 systems of the human organism: the integumentary, skeletal, muscular, nervous, endocrine, cardiovascular, lymphatic, respiratory, digestive, urinary, and reproductive systems.

#### 1.3 Characteristics of the Living Human Organism

1. All organisms carry on certain processes that distinguish them from nonliving things.
2. Among the life processes in humans are metabolism, responsiveness, movement, growth, differentiation, and reproduction.

#### 1.4 Homeostasis

1. Homeostasis is the maintenance of relatively stable conditions in the body's internal environment produced by the interplay of all of the body's regulatory processes.
2. Body fluids are dilute, watery solutions. Intracellular fluid (ICF) is inside cells, and extracellular fluid (ECF) is outside cells. Plasma is the ECF within blood vessels. Interstitial fluid is the ECF that fills spaces between tissue cells.

Because it surrounds the cells of the body, extracellular fluid is called the body's internal environment.

3. Disruptions of homeostasis come from external and internal stimuli and psychological stresses. When disruption of homeostasis is mild and temporary, responses of body cells quickly restore balance in the internal environment. If disruption is extreme, regulation of homeostasis may fail.
4. Most often, the nervous and endocrine systems acting together or separately regulate homeostasis. The nervous system detects body changes and sends nerve impulses to counteract changes in controlled conditions. The endocrine system regulates homeostasis by secreting hormones.
5. Feedback systems include three components: (1) Receptors monitor changes in a controlled condition and send input to a control center (afferent pathway). (2) The control center sets the value (set point) at which a controlled condition should be maintained, evaluates the input it receives from receptors (efferent pathway), and generates output commands when they are needed. (3) Effectors receive output from the control center and produce a response (effect) that alters the controlled condition.
6. If a response reverses the original stimulus, the system is operating by negative feedback. If a response enhances the original stimulus, the system is operating by positive feedback.
7. One example of negative feedback is the regulation of blood pressure. If a stimulus causes blood pressure (controlled condition) to rise, baroreceptors (pressure-sensitive nerve cells, the receptors) in blood vessels send impulses (input) to the brain (control center). The brain sends impulses (output) to the heart (effector). As a result, heart rate decreases (response) and blood pressure decreases to normal (restoration of homeostasis).
8. One example of positive feedback occurs during the birth of a baby. When labor begins, the cervix of the uterus is stretched (stimulus), and stretch-sensitive nerve cells in the cervix (receptors) send nerve impulses (input) to the brain (control center). The brain responds by releasing oxytocin (output), which stimulates the uterus (effector) to contract more forcefully (response). Movement of the fetus further stretches the cervix, more oxytocin is released, and even more forceful contractions occur. The cycle is broken with the birth of the baby.
9. Disruptions of homeostasis—homeostatic imbalances—can lead to disorders, diseases, and even death. A disorder is a general term for any abnormality of structure or function. A disease is an illness with a definite set of signs and symptoms.
10. Symptoms are subjective changes in body functions that are not apparent to an observer; signs are objective changes that can be observed and measured.

### 1.5 Basic Anatomical Terminology

1. Descriptions of any region of the body assume the body is in the anatomical position, in which the subject stands erect facing the observer, with the head level and the eyes facing directly forward. The feet are flat on the floor and directed forward, and the upper limbs are at the sides, with the palms turned forward. A body lying facedown is prone; a body lying faceup is supine.
2. Regional names are terms given to specific regions of the body. The principal regions are the head, neck, trunk, upper limbs, and lower limbs. Within the regions, specific body parts have anatomical names and corresponding common names. Examples are thoracic (chest), nasal (nose), and carpal (wrist).
3. Directional terms indicate the relationship of one part of the body to another. **Exhibit 1** summarizes commonly used directional terms.

4. Planes are imaginary flat surfaces that are used to divide the body or organs to visualize interior structures. A midsagittal plane divides the body or an organ into *equal* right and left sides. A parasagittal plane divides the body or an organ into *unequal* right and left sides. A frontal plane divides the body or an organ into anterior and posterior portions. A transverse plane divides the body or an organ into superior and inferior portions. An oblique plane passes through the body or an organ at an oblique angle.

5. Sections are cuts of the body or its organs made along a plane. They are named according to the plane along which the cut is made and include transverse, frontal, and sagittal sections.

6. **Figure 1.10** summarizes body cavities and their membranes. Body cavities are spaces in the body that help protect, separate, and support internal organs. The cranial cavity contains the brain, and the vertebral canal contains the spinal cord. The meninges are protective tissues that line the cranial cavity and vertebral canal. The diaphragm separates the thoracic cavity from the abdominopelvic cavity. Viscera are organs within the thoracic and abdominopelvic cavities. A serous membrane lines the wall of the cavity and adheres to the viscera.

7. The thoracic cavity is subdivided into three smaller cavities: a pericardial cavity, which contains the heart, and two pleural cavities, each of which contains a lung. The central part of the thoracic cavity is an anatomical region called the mediastinum. It is located between the pleural cavities, extending from the sternum to the vertebral column and from the first rib to the diaphragm. It contains all thoracic viscera except the lungs.

8. The abdominopelvic cavity is divided into a superior abdominal and an inferior pelvic cavity. Viscera of the abdominal cavity include the stomach, spleen, liver, gallbladder, small intestine, and most of the large intestine. Viscera of the pelvic cavity include the urinary bladder, portions of the large intestine, and internal organs of the reproductive system.

9. Serous membranes line the walls of the thoracic and abdominal cavities and cover the organs within them. They include the pleura, associated with the lungs; the pericardium, associated with the heart; and the peritoneum, associated with the abdominal cavity.

10. To describe the location of organs more easily, the abdominopelvic cavity is divided into nine regions: right hypochondriac, epigastric, left hypochondriac, right lumbar, umbilical, left lumbar, right inguinal (iliac), hypogastric (pubic), and left inguinal (iliac). To locate the site of an abdominopelvic abnormality in clinical studies, the abdominopelvic cavity is divided into quadrants: right upper quadrant (RUQ), left upper quadrant (LUQ), right lower quadrant (RLQ), and left lower quadrant (LLQ).

### 1.6 Aging and Homeostasis

1. **Aging** produces observable changes in structure and function and increases vulnerability to stress and disease.
2. Changes associated with aging occur in all body systems.

### 1.7 Medical Imaging

1. Medical imaging refers to techniques and procedures used to create images of the human body. They allow visualization of internal structures to diagnose abnormal anatomy and deviations from normal physiology.
2. **Table 1.3** summarizes and illustrates several medical imaging techniques.

## Critical Thinking Questions

1. You are studying for your first anatomy and physiology exam and want to know which areas of your brain are working hardest as you study. Your classmate suggests that you could have a computed tomography (CT) scan done to assess your brain activity. Would this be the best way to determine brain activity levels? Why or why not?
2. There is much interest in using stem cells to help in the treatment of diseases such as type 1 diabetes, which is due to a malfunction of some of the

normal cells in the pancreas. What would make stem cells useful in disease treatment?

3. On her first anatomy and physiology exam, Heather defined homeostasis as “the condition in which the body approaches room temperature and stays there.” Do you agree with Heather’s definition?

## Answers to Figure Questions

- 1.1 Organs are composed of two or more different types of tissues that work together to perform a specific function.
- 1.2 A nutrient moves from the external environment into plasma via the digestive system, then into the interstitial fluid, and then to a body cell.
- 1.3 The difference between negative and positive feedback systems is that in negative feedback systems the response reverses the original stimulus, but in positive feedback systems the response enhances the original stimulus.
- 1.4 When something causes blood pressure to decrease, then heart rate increases due to operation of this negative feedback system.
- 1.5 Because positive feedback systems continually intensify or reinforce the original stimulus, some mechanism is needed to end the response.
- 1.6 Having one standard anatomical position allows directional terms to be clearly defined so that any body part can be described in relation to any other part.
- 1.7 No, the radius is *distal* to the humerus. No, the esophagus is *posterior* to the trachea. Yes, the ribs are superficial to the lungs. Yes, the urinary bladder is medial to the ascending colon. No, the sternum is medial to the descending colon.

1.8 The frontal plane divides the heart into anterior and posterior portions.


1.9 The parasagittal plane (not shown in the figure) divides the brain into unequal right and left portions.

1.10 Urinary bladder = P, stomach = A, heart = T, small intestine = A, lungs = T, internal female reproductive organs = P, thymus = T, spleen = A, liver = A.

1.11 The pericardial cavity surrounds the heart, and the pleural cavities surround the lungs.

1.12 The illustrated abdominal cavity organs all belong to the digestive system (liver, gallbladder, stomach, small intestine, and most of the large intestine). Illustrated pelvic cavity organs belong to the urinary system (the urinary bladder) and the digestive system (part of the large intestine).

1.13 The liver is mostly in the epigastric region; the ascending colon is in the right lumbar region; the urinary bladder is in the hypogastric region; most of the small intestine is in the umbilical region. The pain associated with appendicitis would be felt in the right lower quadrant (RLQ).



## The Chemical Level of Organization

### Chemistry and Homeostasis

Maintaining the proper assortment and quantity of thousands of different chemicals in your body, and monitoring the interactions of these chemicals with one another, are two important aspects of homeostasis.

You learned in Chapter 1 that the chemical level of organization, the lowest level of structural organization, consists of atoms and molecules. These letters of the anatomical alphabet ultimately combine to form body organs and systems of astonishing size and complexity. In this chapter, we consider how atoms bond together to form molecules, and how atoms and molecules release or store energy in processes known as chemical reactions. You will also learn about the vital importance of water—which accounts for nearly two-thirds of your body weight—in

chemical reactions and the maintenance of homeostasis. Finally, we present several groups of molecules whose unique properties contribute to the assembly of your body's structures and help power the processes that enable you to live.

**Q Did you ever wonder how fatty acids relate to health and disease?**

## 2.1 How Matter Is Organized

### OBJECTIVES

- **Identify** the main chemical elements of the human body.
- **Describe** the structures of atoms, ions, molecules, free radicals, and compounds.

**Chemistry** (KEM-is-trē) is the science of the structure and interactions of matter. All living and nonliving things consist of **matter**, which is anything that occupies space and has **mass**. Mass is the amount of matter in any object, which does not change. **Weight**, the force of gravity acting on matter, does change. When objects are farther from Earth, the pull of gravity is weaker; this is why the weight of an astronaut is close to zero in outer space.

### Chemical Elements

Matter exists in three states: solid, liquid, and gas. *Solids*, such as bones and teeth, are compact and have a definite shape and volume. *Liquids*, such as blood plasma, have a definite volume and assume the shape of their container. *Gases*, like oxygen and carbon dioxide, have neither a definite shape nor volume. *All* forms of matter—both living and nonliving—are made up of a limited number of building blocks

called **chemical elements**. Each element is a substance that cannot be split into a simpler substance by ordinary chemical means. Scientists now recognize 118 elements. Of these, 92 occur naturally on Earth. The rest have been produced from the natural elements using particle accelerators or nuclear reactors. Each named element is designated by a **chemical symbol**, one or two letters of the element's name in English, Latin, or another language. Examples of chemical symbols are H for hydrogen, C for carbon, O for oxygen, N for nitrogen, Ca for calcium, and Na for sodium (*natrium* = sodium).\*

Twenty-six different chemical elements normally are present in your body. Just four elements, called the **major elements**, constitute about 96% of the body's mass: oxygen, carbon, hydrogen, and nitrogen. Eight others, the **lesser elements**, contribute about 3.6% to the body's mass: calcium, phosphorus (P), potassium (K), sulfur (S), sodium, chlorine (Cl), magnesium (Mg), and iron (Fe; *ferrum* = iron). An additional 14 elements—the **trace elements**—are present in tiny amounts. Together, they account for the remaining body mass, about 0.4%. Several trace elements have important functions in the body. For example, iodine is needed to make thyroid hormones. The functions of some trace elements are unknown. **Table 2.1** lists the main chemical elements of the human body.

### Structure of Atoms

Each element is made up of **atoms**, the smallest units of matter that retain the properties and characteristics of the element. Atoms are

\*The periodic table of elements, which lists all of the known chemical elements, can be found in Appendix B.

**TABLE 2.1** Main Chemical Elements in the Body

CHEMICAL ELEMENT (SYMBOL)	% OF TOTAL BODY MASS	SIGNIFICANCE
<b>MAJOR ELEMENTS</b>	(about 96)	
<b>Oxygen (O)</b>	65.0	Part of water and many organic (carbon-containing) molecules; used to generate ATP, a molecule used by cells to temporarily store chemical energy.
<b>Carbon (C)</b>	18.5	Forms backbone chains and rings of all organic molecules: carbohydrates, lipids (fats), proteins, and nucleic acids (DNA and RNA).
<b>Hydrogen (H)</b>	9.5	Constituent of water and most organic molecules; ionized form (H <sup>+</sup> ) makes body fluids more acidic.
<b>Nitrogen (N)</b>	3.2	Component of all proteins and nucleic acids.
<b>LESSER ELEMENTS</b>	(about 3.6)	
<b>Calcium (Ca)</b>	1.5	Contributes to hardness of bones and teeth; ionized form (Ca <sup>2+</sup> ) needed for blood clotting, release of some hormones, contraction of muscle, and many other processes.
<b>Phosphorus (P)</b>	1.0	Component of nucleic acids and ATP; required for normal bone and tooth structure.
<b>Potassium (K)</b>	0.35	Ionized form (K <sup>+</sup> ) is the most plentiful cation (positively charged particle) in intracellular fluid; needed to generate action potentials.
<b>Sulfur (S)</b>	0.25	Component of some vitamins and many proteins.
<b>Sodium (Na)</b>	0.2	Ionized form (Na <sup>+</sup> ) is the most plentiful cation in extracellular fluid; essential for maintaining water balance; needed to generate action potentials.
<b>Chlorine (Cl)</b>	0.2	Ionized form (Cl <sup>-</sup> ) is the most plentiful anion (negatively charged particle) in extracellular fluid; essential for maintaining water balance.
<b>Magnesium (Mg)</b>	0.1	Ionized form (Mg <sup>2+</sup> ) needed for action of many enzymes (molecules that increase the rate of chemical reactions in organisms).
<b>Iron (Fe)</b>	0.005	Ionized forms (Fe <sup>2+</sup> and Fe <sup>3+</sup> ) are part of hemoglobin (oxygen-carrying protein in red blood cells) and some enzymes.

**Table 1.3** Continues